# TROPICAL DISEASES BULLETIN

VOL. 56 (Nos. 1-12)

JANUARY—DECEMBER, 1959

London:
BUREAU OF HYGIENE AND TROPICAL DISEASES
Keppel Street, W.C.1.

COMMONWEALTH MYCOLOGICAL
20 AUG 1964

# CORRIGENDA TO INDEX

(GENERAL INDEX)

(a) p. 1324. Add *Hepatocystis*
*hippopotami*, in N. Rhodesia, 132
*kochi*, in monkeys, 131

(b) pp. 1327–1328. Cancel both these pages and substitute new pages 1327–1328a attached.

(ENTOMOLOGY AND INSECTICIDES INDEX)

(a) p. 1339. Add Houseflies
control
in French Guiana, 124
(Note: this entry precedes BHC—in milk, etc.)

(b) pp. 1341–1342. Cancel *Anopheles* Section and insert new pages 1341a–1341b attached.

(GEOGRAPHICAL INDEX)

Add the following:

Europe
Greece
malaria control, 123
Italy
malaria control, 122
Rumania
malaria, (269)
U.S.S.R.
malaria control, 273

Asia
India
*Anopheles*, 117
Indonesia
*Anopheles*, 7
Malaya
malaria
chemotherapy, 121
control, 15

Africa
Belgian Congo
malaria, epidemiology, 3

Africa—*Cont.*
French Equatorial Africa
*Plasmodium* spp., 5 *bis*
Nigeria
malaria treatment and prophylaxis, 120
Somalia
*Anopheles*, 7
South Africa
malaria control, 14 *bis*
Southern Rhodesia
malaria, 13

America, South
Brazil
*Anopheles*, 9, (118 *bis*)
malaria, epidemiology, 9
French Guiana
mosquito control, 124

Pacific Islands
Papua and New Guinea
*Anopheles*, 269
malaria in highlands, 269

# GENERAL INDEX OF SUBJECTS

## INDEX OF SUBJECTS

Page numbers within parentheses indicate papers cited by title only.

The subject index is arranged in the following divisions:


General index .. .. .. .. 1323
Amoebiasis and Intestinal Protozoal Infections .. .. .. .. 1334
Deficiency Diseases .. .. .. 1336
Dermatology and Fungus Diseases .. 1338
Entomology and Insecticides: General Zoology .. .. .. .. 1339
Haematology .. .. .. .. 1344
Helminthiasis .. .. .. .. 1346
Mammalian and other Hosts .. .. 1352
Tropical Ophthalmology .. .. 1354
Typhus Group of Fevers .. .. 1354
Venoms and Antivenenes .. .. 1356
Book Reviews, Reports and Surveys .. 1358
Geographical Index .. .. .. 1359


For most diseases, the arrangement is as follows:—(i) general material, (ii) distinct forms of the disease, (iii) the parasite or parasites.


Ackee, *see* Hypoglycin *below*
*Aedes*, *see* ENTOMOLOGY index
Africans
  children
    health problems, 493
      in Nigeria, 579
    psychomotor development, 110
  infant mortality in Nigeria (North), 580
  psychiatric examination, 374
  male sterility in Ghana, (249)
  skin diseases [book review], 903
  urinary 17-ketosteroid and 17-ketogenic steroid excretion, 111
Ainhum of fingers in Sierra Leone (case), 486
Allergies and allergens, tropical, 226
AMOEBIASIS, *see* SPECIAL index
*Anopheles*, *see* ENTOMOLOGY index
Ascariasis, *see* HELMINTHIASIS index
Atherosclerosis, coronary, in Congo Africans, 100
*Babesia canis* infection, pathology of, 103
Bacterial infections, epidemiology in French Sudan, 97
Bats, *see* MAMMALIAN AND OTHER HOSTS index
Blastomycosis, *see* DERMATOLOGY index
Blood, *see* HAEMATOLOGY index
Body weight, stature and social conditions in Martinique, (249)
Botany, medical, in Italy, (572)
*Brucella suis* mixed infection with *R. burneti*
  bacterial endotoxin in, 712
  immunological factors in, 293
  stressor compounds in, 712
Cancer in South Vietnam, 773
Cholera, 44–45, 157–159, 298–300, 722, 829, 944–945, 1028–1029, 1129–1134, 1233–1234
  carrier state diagnosis and pathogenesis, 1133
  clinical features, 944
  diagnosis, indole and cholera red reaction, excess nitrite in, 829
Cholera—*cont.*
  epidemiology
    in India (Calcutta), 44, 1129
      Timor, (1130)
    endemicity and epidemicity, *Vibrio* and, (299)
    indices evaluation in India (W. Bengal), 1028
    socio-economic factors in India (Calcutta), 298
  experimental
    immune serum and antibiotics, effect on, 299
    morbid changes in mice, 1133
  history in E. Africa, 722
  paracholera in Indonesia (Sulawesi), 722
  prophylaxis, vaccine combined with live *Pasteurella pestis*, 1134
  serum protein-bound carbohydrates and lipids in, 1132
  Summary of recent abstracts, 1–3
  treatment, individual protein fractions of antiserum, (159)
  *Vibrio cholerae*
    antigens
      agglutinating, heat effect on, 45
      red cell sensitizing and haemagglutination inhibiting, 944
    bacteria-free culture-filtrate action on intestinal mucous membrane, 1028
    cell wall morphology and immunochemistry, 1131
    haemolysin of, 1131
    identification, phage absorption, 158
    isolation
      alkaline tellurite lauryl sulphate-salt plate, 157
      fluorescence microscopy in water and in washings, 1233
      phage titre increase reaction, 829
    neuraminidase purification from, (1028)

Cholera—*cont.*
*Vibrio cholerae*—*cont.*
strains
S–R dissociation identification by Group II bacteriophages, 1130
toxin production and virulence of, 1132
streptomycin sensitivity and dependence, (158)
survival in water, 157
Cosmopolitan ulcers, leg, diagnosis, (1193)
*Cryptococcus neoformans* infection, pneumocystosis and, (case), 985
Dengue and Allied Fevers 33–36, 150, 295, 822, 936–937, 1123–1124
aetiology, 150
Colorado tick fever
tissue culture neutralization test for antibody, 937
virus
behaviour in porcupine, 822
development in *Dermacentor andersoni*, 937
ecology in U.S.A. (W. Montana), 936
isolated from rodents in U.S.A. (Colorado), 35
tissue culture in KB culture, 35
Dengue
epidemiology
in Panama, 33
Society Islands, 34
experimental
–1 virus infection in lab. worker with antibody to Japanese encephalitis virus, 822
in monkeys from America, 34
virus propagation in tissue culture, 1123
Papataci fever, sera haemagglutinating action, 295
Disease localization, with reference to zoonoses, 992
Duodenal ulcer in Africans in Kenya (Nairobi), 661
Dysentery, *see* AMOEBIASIS index
*Encephalitozoon* infection, in Japan (case), 775
Endomyocardial fibrosis and heart disease, 1277
Epidemic dropsy, argimone oil, toxicity limit in rats, 1057
Eye, *see* TROPICAL OPHTHALMOLOGY index
Favism, in Australia (West) (case), 363
medico-social aspects, 774
Filariasis, *see* HELMINTHIASIS index
Gastro-intestinal tract lesions in South Africa, 884
Giardiasis, *see* AMOEBIASIS index
*Glossina*, *see* ENTOMOLOGY index
*Grewia tenax*, pip impaction in rectum in Somaliland, 663
*Haemonchus contortus*, vaccination against, in animals, 240
Haw-haw syndrome in Somaliland, 663
Health, in Middle East, 1070
services in Portuguese overseas territories, 1292
Heart
diseases
in Africa, 661
French Sudan, 101
South Africa (Cape Town), 1279
endomyocardial fibrosis, relation to, in W. Africa, 1277
electrocardiographic changes in tropical eosinophilia, 663
weight in Africans in Uganda, 899
Heat Stroke and Allied Conditions, 96, 362, 482–4, 659, 883
blood pressure and climatic preference, 483
classification of, 96, 883
heat reducing measures with chlorpromazine, 484
hyperpyrexia, multiple deaths due to, 659
mental performance, heat effect on, 483
nutrition and climatic stress, 362
salt requirements in tropics in summer, 482
ships, between decks environment in, 883
tropical hygiene for Europeans, 902
Helminthiasis, *see* SPECIAL index
Hepatonephritis, fatal infectious, in Ubangui-Chari, 99
Hygiene, *see also* Medical services
tropical, 676
book reviews, 378, 379, 902
Hypertension in non-whites, 1279
Hypoglycin
A, chemical composition, 484
B, chemical composition, 484
constitution, (566)
Infarction, myocardial, racial prevalence in S. Africa, 983
Infectious diseases, 1063
natural foci, 993
Influenza in Kano, 579
Intelligence, disease, and racial differences in Africans, 1071
Intestinal pathogens survival in water, 157
17-ketogenic steroid urinary excretion in Africans, 111
17-ketosteroid urinary excretion, in Africans, 111
in Egyptians, 249
effect of corticotrophin on, 249
Kuru
clinical features, 1283
genetic basis of, 565
neurolathyrism and, 364
pathology, 1283
Laboratory procedures, 248–9, 675–6, 1207, 1292
book review, 582
faecal examination
formalin fixation of protozoa, 248
zinc sulphate centrifugation flotation, 675
microscopes
immersion media, methyl phenyl ether, 1207
new design, for field conditions, 1292
virus staining Wright's stain modification, 141
Lathyrism, experimental, (774)
bone polysaccharides in, 101
epiphysial cartilage defect in rats, (101)
literature review, (884)
muscle in, amino acids and absorption spectrum of, 101
sodium, potassium, phosphorus and creatine in, 101
Leishmaniasis, 23–5, 140–41, 285–7, 425–7, 521–2, 600–601, 703–5, 813, 928–32, 1118, 1226
animal, including experimental
canine, in Rumania, 425
*donovani*
drug trials in hamsters, 8-day method, 427
host resistance to, 239
in white mice, 704
in gerbils in Kenya (Kerio valley), 1118

*See p. 1323 for the special arrangement of the index*

Leishmaniasis—*cont.*
cutaneous
diagnosis, *L. braziliensis* antigen test, 931
*Trypanosoma equiperdum* antigen test, 704, 705
epidemiology
in Algeria (Mila), 600
Brazil (Amapo region), 1226
British Honduras, 930
Colombia (Bogota), 705
Peru, 29
U.S.S.R., 287
immunization in British Honduras, 930
Summary of recent abstracts, 586–7
*tegumentaria diffusa* (new form) in Venezuela, 931
epidemiology
in French Sudan, 97
U.S.S.R. (Georgia), 285
mucocutaneous in Colombia (Bogota), 705
Summary of recent abstracts, 585–8
treatment, drug trials, 25
visceral
in Brazil, 286
China, 426
clinical picture in Kenya, 928
diagnosis
cross-reactions *L. braziliensis* and *T. cruzi* fractions, 286
*Mycobacterium butyricum* antigen in, 600
hepatic
fibrosis in, 24, (427)
reticulo-endothelial changes in, 140
immunization in Kenya, 928
17-ketosteroids, urinary excretion of, 24
serum proteins in, 929 *bis*
Summary of recent abstracts, 585–6
treatment, in China, 426
Pentostam in Kenya, 928
*Leishmania* spp.
*adleri* n.sp. from lacertid lizards, 521, 813
*donovani*
flagellum, basal apparatus, 703
sucrose metabolism in, 140
Leprosy, 52–8, 168–9, 304–6, 444–58, 536–44, 620–30, 727–35, 838–46, 948–51, 1033–39, 1138–50, 1240–47
blood in
cytology and clotting, 621
Rubino's agglutino-sedimentation test in, 304
book review, 496
classification, (1142)
conferences, in Brazil, 629
in India, 537
international, 536
control, 1246
in Angola, 1246
Brazil, 629, 1148
French Equatorial Africa, 454
India, 537
Thailand, 628
Turkey, 620
U.S.S.R., 541
chemotherapy in, in India, 537
isolation of children, mortality rates and, 55
lepromin dilution for contact control, 622
mobile treatment centres in Ghana, (1148)
treatment duration in Uganda, 733
current problems, (444), 839

Leprosy—*cont.*
customs, laws, etc., in India, 628
dermis, stroma, changes in, 841
diagnosis
complement-fixation antigen preparation, 1037
cutaneous biopsy, degree of infectiousness in, 1142
early, importance in treatment, (1142)
formol-gel test, 842
haemagglutination test, 452
in contacts, 1036
lepromin test
BCG effect in, 729
clinical and histological study, (843)
in healthy contact children in Indonesia, 622
depot antigens, 451
BCG vaccination and, 1037
dilute antigens, 451
for control of positive contacts, 622
tests in normal children, 1241
lepromin preparation from *M. leprae* in rats, 449, (1142)
modification of, 451
multi-puncture method, 451
reactions
late, reading of, 1036
lepromins, comparison of, 842
nature and significance, 1242
positive, from normal skin preparation, 450
tuberculin reactions and, 622, 1242
transpiration test, 728
dimorphous, *M. leprae* in intact and desquamating epidermal cells, 1143
drop-foot in, treatment, corticosteroids (case), 1147
epidemiology
in Aden, 727
Belgian Congo, 540
Burma (Rangoon), 838
Ethiopia, 948, 1033
Iceland, 1138
Japan (Gifu), 727, 1138
Martinique, 1034
New Guinea and Papua, 1240
Pacific Islands, 1035
Paraguay (Asuncion), 445
Rumania, (838)
Samoa, 1035
Syria (Al Walid Leprosarium), (1138)
Timor, 1240
reaction in domiciliary contacts, 1141
sex incidence in N. Rhodesia, 445
epitheliomas in (cases), 1144
erythema nodosum leprosum, (949)
clinical observations, 452
prognostic significance, 730
experimental, including animal
human infection
histiocytic granulomatous lesions in hamsters, 1247
*in vitro* studies on foetal material, 620
infection in chimpanzee, 56
transmission to
hybrid black mice, 844
laboratory animals, biological factors in, 543

*See p. 1323 for the special arrangement of the index*

Leprosy—*cont.*
experimental, including animal—*cont.*
lepromin tests after BCG in guineapigs, 455
murine
evolution of, 1148
BCG action on, in golden hamster, 457
testicular hyaluronidase effect on, 455
haemagglutination and haemolytic reaction in sensitized red cells, 735
hypersensitivity to *M. lepraemurium* in mice, 1039
immunity in
leucocytic transfer of delayed sensitivity, 306
response to killed and attenuated mycobacteria, 456
serum protein fraction pattern and, 950
inoculum dosage and DDS relation to survival time, 455
treatment
ABH and ω-AUA, 951
antibiotics, 950
cycloserine, 1149
DDS mode of action, 456
dihydrostreptomycin mode of action, 456
isoniazid and derivatives, sera analysis in, 845
isonicotinyl-3, 4-diethoxybenzal hydrazone, 56, 1149 *bis*
isonicotinyl-3-methoxy-4-ethoxybenzal hydrazone, 56
kanamycin, 58
familial, 52
foot ulcers in, treatment, intra-arterial hydergine, 627
general review, 52, 539
haemagglutination, conditioned haemolysis and, 304
hand in
claw, tendon transfers for, 628
innervation of, 445
histopathology, 540
hypersensitivity in, antigen for study of, 450
immuno-allergy in, (304)
International Congress (VII), 536
kidney function, phenol red excretion test, 620
lepra reaction
capillary action during, 843
prognosis in, 446
treatment, 537
camoquin, 730
triamcinolone, 844
lepromatous
adult type in infant (case), 1142
Mitsuda positivity, increase in, 843
treatment
D-cycloserine, 55
DDS, nicotinamide and BCG supplementation to, 844
sulphones, relapses after, 1244
lesions
fats in, (949)
temperature variation and, 1240
liver dysfunction in, 1241
lung lesions in, 448
lymph nodes in, 447
neural, clinical picture, 623
dimorphous, 625
Leprosy—*cont.*
ocular lesions in, 537
prognosis, 305
pathogenesis, adrenals in, 446
prophylaxis, 625
in Brazil, 1038 *bis*
Rumania, (838)
BCG vaccination in, 949
effect in children of leprous parents, 1244
lepromin intradermal reaction evolution in, 623
*Mycobacterium* antigens in, 448
resistance to, adrenal function and, 446
serology, 949
cardiolipin antigens in, 622
C-reactive protein (PCR) in, 621, 842
electrolytic studies, 841
serum protein in, 728
skin lesions, hypopigmented, pathogenesis and treatment, 54
Summary of recent abstracts, 1094–1103
syphilis and, R.P.C.F. reactivity compared with other tests, 728
tongue, carcinoma in, (730)
transmission, 839
treatment, (305), (949)
acidomycin intracutaneous injection, 732
antibiotics, 626
antigen Marianum as adjunct of DDS, 453
D-cycloserine in, 453
DDS, (844)
acetylated, 1145
antigen Marianum as adjunct, 453
in out-patient clinics, in Nigeria, 1144
monthly injections in new CMC suspension, 731
thioacetazone, chaulmoogra oil and, 54
DPT (CIBA–1906), absorption and excretion of, 732
dapsone, Heinz-body due to, 626
diethyl dithiolisophthalate (ETIP) (Etisul), 542, 1146
dispensary in South Vietnam (Saigon), 454
isoniazid, para-amino-salicylate of, 626
*M. leprae* antigen in, 448
mono-isopropyl sulphone, 731
new drugs, 1245
plastic surgery, 537, (1246)
sulphamethopyrazine, 1146
sulphones inefficacy (case), 1146
tuberculoid
early symptoms (case), 305
nasal destruction in (case), (305)
prophylactic BCG and early onset, in infants 5
subepithelial conjunctive tissue in, 1143
treatment, DDS, Fouadin and mepacrine
tuberculosis and 114
relation between, 451, 1140, 1243
stain differentiation, 448
ulcers, plantar, 729
natural history, 1143
treatment, placenta implantations, 1038
*Mycobacterium* spp.
culture of
cell and tissue, 53
in human cells, 1139
morphology, electron microscope study, 53
staining, differential, 1140

*See p. 1323 for the special arrangement of the index*

REVISED PAGES 1327–1328a


Leprosy—*cont.*
*Mycobacterium* spp.—*cont.*
*leprae*
metabolism, action of sulphones on, 1245
morphology, 840
pro-oxidant nutritional conditions, influence on growth, 733, 1139
ultra-thin sections of cells, electron microscopy of, 447
*lepraemurium*
diphosphopyridine nucleotidase of, (950)
disposition and fine structure in mouse spleen, 734
electron microscopy of, 630
intratesticular multiplication, suramin in, 168
metabolism, substances influencing, 544
multiplication in mouse cornea, 734
*marianum*, review of, 168
Liver, *see also* DEFICIENCY DISEASES index
cancer
in South Africa (Bantu), 983
primary, in African child (case), (101)
in Southern Bantu, (983)
cirrhosis
in French West Africa, 228
infantile
in India, 662
toxic aetiology, 363
disease
in South Africa (Durban), 1051
West Indies, 1280
nutritional factors, 867
function in Nigerians, 363
inflammation, hepatic amoebiasis and, 1030
palpability in normal children, 1293
post-mortem histology, (228)
spleen enlargement and, 229, 230
Loiasis, *see* HELMINTHIASIS index
Malaria, 3–18, 117–32, 269–79, 408–22, 508–18, 588–97, 684–7, 798–808, 917–23, 1007–10, 1103–11, 1213–21
avian
in Egypt, 421
gametocyte infectivity variations, 806
Summary of recent abstracts, 407–8
*gallinaceum*, amino-acids of, effect in chicks, 17
dichlorophenyltriazine trials, 807
377C64 trials, 596
*lophurae*, enhanced erythrocytic folic and folinic acid in, 1111
*relictum*, infection in partridges, 697
susceptibility and resistance in birds, 808
treatment, pyrimethamine and primaquine, 689
experimental, antimalarials
dichlorophenyltriazine trials, 807
effect on infectivity of *Pl. vivax*, 117
primaquine
erythrocyte sensitivity, coenzyme studies, (411)
haemolytic effect, (593), (1216)
pyrimethamine and, combined trials, 689
Propoquin trials in rodents, 130
quinine, haemolysis and, 120
Malaria—*cont.*
human
congenital, prophylaxis by chloroquine, 412
control
in Assam, 594, 693
China, 589
East Africa, 588
Greece, 123
India, 414
Indonesia, 275
Malaya, 15
Mexico, 416
Philippines, 512
Portuguese East Africa, 1110
South Africa, 14 *bis*
South Cameroons, 1008
Taiwan, 415
Trinidad and Tobago, 417
U.S.S.R. (Samarkand), 273
army, in Philippines, 512
changing concepts in, (273)
chemoprophylaxis
pyrimethamine, weekly, in Venezuela, 1217
residual spraying and, in Malaya, 1109
in Netherlands New Guinea, 1009
urinary excretion of antimalarials in, 1216
eradication
in British Guiana, 1107
Greece, 1217
Turkey, 1218
nomads potential reinfection in W. Pakistan, 685
nutrition and, in British Guiana, 1047
WHO report on, 921
nutrition and, in British Guiana, 1047
Summary of recent abstracts, 401–5
vital statistics effect, in Ceylon, 1218
epidemiology
in Africa, (1213)
Brazil, (1103)
China, 589
East Africa, 588
French West Africa, 509
Italy (Venice), 408, 409
Kenya and Tanganyika (Taveta), 917
Malaya (book review), 1298
Morocco, 409
Netherlands New Guinea, 1214
Poland, 508
Rumania, (269), 1007 *bis*
Saudi Arabia (oases), 1213
South Cameroons, 509
Timor, 1103
Trinidad and Tobago, 417
altitude in, in Papua and New Guinea, 269
army community in Ghana, 684
climate and, in Brazil, 9
control and, in Italy, 122
eradication and, in French Guiana, 124
in riverine villages in Belgian Congo, 3
Summary of recent abstracts, 262–4
immunity, acquired, 1111
in children
in Belgian Congo, 572
mortality and malnutrition in Uganda, 1174
prophylaxis in Tanganyika, 692
treatment, chloroquine trials *per rectum*, 688


*See p. 1323 for the special arrangement of the index*

Malaria—*cont.*
human—*cont.*
in infants
anaemia and, in Ibadan, 511
in Indian tea estates (Assam), 694
maternal malaria and, 1214
review of, 919
liver pigmentation in, 920
malnutrition and, 1174
microscopy methods, (1215)
post-operative, 119
prematurity and, in W. Nigeria, 4
prophylaxis
chloroquine
in pregnancy, 412
pyrimethamine and, trials, 413
pyrimethamine
in Kenya (Makueni), 513
chloroquine and, trials, 413
relapses due to other diseases, 411
review of, 236, 414
sickle cell trait and immunity, 592
Summary of recent abstracts, 261–8, 399–408
transfused preserved blood in, (272)
transmission in nomads in West Pakistan, 685
treatment
4-aminoquinolines, trials, 689
antimalarials survey in Nigeria, 120
bromoguanide metabolite (M.I.S.11), study of, 10
chemotherapy in Malaya, 121
chloroquine
corneal complications, 513
overdose of (cases), 412 *bis*
drugs, comparison, 1215
primaquine, haemolytic anaemia and, (10)
propoquine, trials, 921
pyrimethamine
excretion after oral administration, 691
primaquine and, trials, 689
quinine, haemolysis and, 120
Summary of recent abstracts, 399–401
377C54, trials, 1106
*falciparum*
course of infection with 3 strains, 1007
epidemiology, parasite rates in S. Rhodesia, 13
gametocyte in transmission and premunition, 5
in Australian aborigines, 918
sickle cell trait and immunity, 918
treatment, pyrimethamine resistance, 691, (691)
*malariae*, relapse after 16 years, 273
*ovale*, epidemiology in French Equatorial Africa, 5
long infection in, 410
*vivax*,
Chesson strain prophylaxis, salt as vehicle for anti-malarials, 122
epidemiology in French Equatorial Africa, 6
pyrimethamine resistance in, 690
serum protein changes in, 119
rodent
Summary of recent abstracts, 406–7
*berghei*
anti-mouse-spleen sera, effect of, 136
Malaria—*cont.*
rodent—*cont.*
*berghei*—*cont.*
blood platelet count variation in mice, 130
chronic infection in mice, 806
course of infection in rats and mice, 128
immature red cell parasitization in, 129
shock in, 130
immunity, acquired, in white mice, 695
immunity transmission to offspring, 277
parasitaemia, genetic factors in, 421
*T. lewisi* infection and, in rats, 805
virulence, genetic and other factors, 129
vitamin A deficiency effect in, 16
*vinckei*
*p*-aminobenzoic acid supplementation effect in, 17
blood loss and replacement in rats, 696
meat diet, effect in mice, 17
splenectomy, effect in, 595
on resistance in rats, 806
simian
Summary of recent abstracts, 405–6
*knowlesi*
blood sugar and tissue glycogen in, 276
liver injury in, 127
pathogenesis in, 126
377C54, trials, 596
Summary of recent abstracts, 261–8
*Laverania falciparum*
gametocyte index and premunition, 5
nutrition, extracellular, factors in, 278
pyrimethamine resistance, 513
*Plasmodium* spp.
abnormal host effect on parasite, 238
avian embryos and tissue culture of, (117)
Summary of recent abstracts, 267
avian
exo-erythrocytic stages in poultry, 1010
*cathemerium*, host temperature effect on reproduction, 697
reproduction in duck and chick embryos, 279
*circumflexum* in birds in E. Pakistan, 278
*gallinaceum*
bromoguanide metabolite, effect on sporogony, 596
experimental transmission by *Aedes stokesi*, 807
longevity of mosquitoes, effect on, 595
*lophurae* nutrition, extracellular, factors in, 278
*relictum*, susceptibility of mosquitoes and pigeons, 808
*vaughani* in birds in E. Pakistan, 278
human
duration of development, 410
*ovale* distribution in French Equatorial Africa, 5
*vivax*
infectivity to *A. quadrimaculatus* after antimalarials, 117
susceptibility of Liberians to Madagascar strain, 686
porcupine, *atheruri*, asexual cycle, 697
sexual cycle, 696

*See p. 1323 for the special arrangement of the index*

Malaria—*cont.*
*Plasmodium* spp.—*cont.*
rodent, *berghei*
immature red cell parasitization, 129, 130
infectivity in health hazard insects, 695
multimammate rat as laboratory host, 595
pathogenicity, 420
survival in refrigerated blood, 282
simian, *gonderi*, life cycle, 694
Marine animals, dangerous (book review), 679
Medical writing, 780
Medical services, *see also* Hygiene
pre-school, in Africa, 493
Melioidosis
diagnosis, bacteriological, in S. Vietnam, 364
experimental
chemotherapy in mice, 568
pathogenesis and immunity with avirulent strains, (365)
immunization with induced avirulent auxotrophic strain, (568)
review of, 884
treatment, follow-up study (case), 98
*Pfeifferella whitmori*
current position of, 98
intracellular non toxic material from, 228
toxins
characterization of, 227
*in vitro* production of, 227
*Mycobacterium*, *see* Leprosy, Tuberculosis
Myiasis
Calliphoridae in (cases), 778
conjunctival, in Italy, 224
due to *Oestrus ovis*, in Cape Verde Islands, (1204)
in Italy (among shepherds), 778
Native medicine, in Rhodesia, 1208
in Tanganyika, 900
Uganda, 1207
Neurolathyrism, kuru and, 364
Onchocerciasis, *see* HELMINTHIASIS index
Onyalai in the Bantu, 566
Parasites
book reviews, 497, 1210, 1211
chromosomes of, (885)
in Australian mammals, 984
pigs, 835
staining with acridine orange, 775
Parasitic diseases
book reviews, 111, 380, 1063
diagnosis
faecal concentration methods, evaluation of, 984
ova enumeration technique, 366
zinc sulphate centrifugation flotation technique, 675
ecology and, 231
eosinophilia during, (885)
epidemiology
in Czechoslovakia, (366), 570
Egypt [book review], 1299
book review, 1211
domestic animals in, 226
immunity and resistance, conference on, 236
in children in Lower Egypt, 232
intestinal
appendiceal, 235
diagnosis, formalin-ether sedimentation test trials, 233

*See p. 1323 for the special arrangement of the index*

arasitic diseases—*cont.*
intestinal—*cont.*
epidemiology
in Costa Rica (students), 830
Egypt, 231, 570
Goa, 1197
Honduras (prisoners), 1066
Italy, 102, 365, 569, 1197
Poland (Lublin), 1064
Portuguese East Africa, 1065
Puerto Rico, 1284
Taiwan (Americans), 774
Timor, 1198
U.S.A. (Puerto Rican children), 664
in children
in San Marino, 664
relation to growth, 234, 1064
prevention in China, 665
transmission
blood transfusion, prevention of, 1199
municipal sewages, 103
arasitology
in India, bibliography of, (1063)
Poland, (1196) *bis*
Amer. Soc. Parasitol. annual meeting, 102
Polish Parasitol. Soc., 6th Congress, 569
Venezuelan Congress on gastroenterology, 1196
erinatal problems in Burma, 581
*feifferella*, *see* Melioidosis, *above*
lague, 39–43, 154–6, 296–8, 435–8, 532–3, 609–10, 718–21, 824–8, 941–3, 1026–7, 1127–9
control, in India (Assam), 296
in South Africa, 719
U.S.S.R., 941
epidemiology
in Brazil, 297
India (Assam), 296
Madagascar, 435
U.S.S.R., 609, (718)
Summary of recent abstracts, 681–2
experimental
detection methods in fleas, 42
enzyme inhibitors of tricarboxylic acid cycle effect, 826
heat regulation and sensitivity to infection in rodents, 942
immunization
combined plague and tularaemia vaccine, 828
living and dead vaccines in mice, 827
splenectomy and EV vaccine in mice, 1129
pneumonic
antiserum trials in mice, 826
polyvinylpyrrolidone, effect in mice, 721
resistance enhanced by tuberculosis in mice, 156
sensitivity enhancement by cortisone in mice, 721
transmission by *Polygenis litargus*, 155
treatment
antisera
globulins of, 720
proteins of, 720
trials in mice, 826
sulphamethoxypyridazine in mice, 1027
Plague—*cont.*
history, 1209
Brazil (Santos), 1899 epidemic, (718)
San Francisco, 1900 epidemic, 1026
Venice, 1575–6 epidemic, treatment, 719
immunity, Summary of recent abstracts, 684
pneumonic in China, 583
prophylaxis, vaccines
allergic reaction to (case), 155
combined live strain with dead *V. cholerae* (1128), 1134
immunogenicity increase, 532
Summary of recent abstracts, 681–4
sylvatic
ecology in California, 533
epidemiology
in Bolivia, 1127
Peru, 436
transmission, ectoparasites in Poland, 532
treatment, 435, 941
WHO report, 941
*Pasteurella pestis*
atypical strain from Mongolian vole, 826
culture, fish hydrolysate medium for, 39
glycine, immunizing effect on, 718
lyophilization of, 41
morphology, genetic variations in, 609
peptides used during growth, 1027
phagocytosis resistance, in guineapigs, 437
protein crystals produced by, 1128 *bis*
smooth and non-smooth strains, immunological comparisons, 942
succinodehydrogenase activity, (1128)
Summary of recent abstracts, 682–4
toxic effect of glucose, 154
variations in, cytological changes, 825
virulence
calcium ions, effect on, 825
loss of, due to avirulent mutants, 40
natural immunity of animal, effect on, (718)
retention of, and $CO_2$, 824
X-rays, effect on, 438
*Plasmodium* *see* Malaria, *above*
*Plistophora collessi* n.sp. ovarian parasite of mosquito, (776)
Pneumocystic disease
abortive form, 571
cryptococcosis
and, (case), 985
epidemiology in South Africa (1st case), 235
experimental in rabbits, 1199
extrapulmonary parasites in, 571
history of, (1198)
in infants, in Israel, 1198
review of, 1066
subclinical, in children, in U.S.A., 885
treatment and prophylaxis, Sb (Neostibosan), 236
*Pneumocystis carinii*, developmental forms of, 1067
Poliomyelitis in Nigeria, 579
Porphyria, porphyrin and porphyrin precursor excretion in Bantu patients, 884
Psychiatric examination of Africans, 374
Psychomotor development in African children, effects of social class on, 110
Public health, *see* Hygiene, Medical Services

*See p. 1323 for the special arrangement of the index*

Q fever, *see* Typhus Group of Fevers index
Rabies, 36–39, 150–54, 295, 433–5, 528–32, 607–9, 715–18, 823–4, 938–41, 1022–26, 1124–27
animal, including experimental
Flury virus, experimental intramuscular infection in guineapigs, 528
in dog vaccinated with Flury virus in Madagascar (first case), (1125)
interference phenomenon by virus isolated from rats with myeloma in mice, 824
spread in wild animals in Germany, 823
street virus
infection, survival of guineapig after, 529
latent form, salivary glands infectivity in laboratory animals, 607
multiplication in mouse ependymoma cells in tissue cells, 1022
nose and eye mucous membrane permeability to, 295
submaxillary gland in, in dogs, 529
treatment and prophylaxis
gamma globulin
effectiveness, 434
local treatment in guineapigs, 531
vaccines
Fermi type, effect of previous vaccination on experimental Flury virus infection, 528
Flury strain, avianized, infection in dog vaccinated with, in Madagascar, (1125)
Semple and Hempt, anaphylactic action differences in rabbits, 1026
birth of healthy baby during incubation period of (case), (153)
control
in Guatemala, 938
Israel, 1024
Korea, 938
Peru, 939
foxes in, in U.S.A., 717
diagnosis
complement-fixation test in, 530
experimental, 715
laboratory, Sellars crush preparation and mouse inoculation, 715
epidemiology
in Canada, 1229
French Equatorial Africa, 150
Israel, 1124
dogs in, in French Sudan, 97
mortality rates in, in Brazil (Sao Paulo), 1022
paretic form (case), 1126
transmission, experimental, by naturally infected bat, to laboratory animals, 1023
treatment and prophylaxis
antiserum, 433
combined with tetanus antiserum, experimental production and study of, 434
horse and bovine, neutralizing antibodies in protein fractions, 1232
preparation and fractionation, 154
vaccine and, combined treatment, 1126
interference between, 39
curarization and endotracheal ventilation in, 37
gamma globulin, human, 1232
Rabies—*cont.*
treatment and prophylaxis—*cont.*
serum prophylaxis, 1126
vaccines
antiserum and
combined treatment, 1126
interference between, 39
comparative study of, 38
control tests of, use of rabbits in, 823
dried formolized
adsorbed on calcium phosphate, 940
virus in, viability limit of, determination by conditioned reflexes, 1025
fixed virus
attenuated by silver nitrate solution, 1231
migration in the animal organism, 1231
Flury, titration, 939
Hempt
abbreviated immunization and early booster injection, protective effect of, 1231
anaphylactic action, differences in rabbits, 1026
control by Habel test, 1026
improvement of effectiveness, experimental studies, 153
metallized, migration in host organs studied by $^{110}$AG, 1023
neuroparalytic complications, (153)
Landry's paralysis, 433
pathogenesis in light of experimental allergic encephalomyelitis studies, (296)
phenolized, titration of, comparative study, 939
protective value and problems, 1126
reactions due to, 296
Semple's, antigenicity improved by pooling, 716
silver ions, use of in preparation of new type of vaccine, (941)
virus
adult-mouse pathogenic, non-pathogenic interference by, 151
antibiotics and acidity, effect on, 38
antibodies, fluorescent staining in salivary glands of rabid animals, 1125
fixed
behaviour
in the nuclear fraction, 36
on mitochondria, 36
haemagglutination by, experimental investigation on possibility of, 433
infectivity of suspensions of, influence of different dilution media, 823
sensitivity to temperature, 433
Flury strain, prolonged incubation period, or latency of, 1230
high egg passage strains, pathogenicity in fertile eggs, 151
infective units for mice and one-day eggs quantitative analysis, 151
soluble antigen, 1023
strains, cultivation in egg-white-replaced one-day egg, 151
Rats, *see* Mammalian and Other Hosts index
Relapsing fever and other spirochaetoses, 51–2, 166–8, 302–4, 836–7, 946–7, 1239
Rat-bite fever, in U.K., (case), 304

*See p. 1323 for the special arrangement of the index*

Relapsing fever and other spirochaetoses —*cont.*
Relapsing Fever,
in Eritrea (Asmara), 1958 epidemic, 1239
Ethiopia, 302
Rhodesia, Southern (Europeans, 2 cases), 303
Somalia, 837
geographical adaptation of foci, (946)
prophylaxis, 947
*Spirochaeta* spp.
erythrocyte adhesion and agglomeration in mice, 51
granules, antigenic properties of, 303
*T. gambiense*, protection against, in mouse, 20
Reports and surveys, *see* SPECIAL index
Rhinoscleroma, *see* DERMATOLOGY AND FUNGUS DISEASES index
Rhinosporidiosis, in Vietnam (cases), (97)
*Rickettsia*, *see* TYPHUS GROUP OF FEVERS index
Schistosomiasis *see* HELMINTHIASIS index
Siderosis, nutritional,
in Ghana, 1050
Indian, in South Africa (case), 1052
Snails, *see* MAMMALIAN AND OTHER HOSTS index
Snakes, *see* VENOMS AND ANTIVENENES index
Soberón y Parra, Dr., 689
*Spirochaeta*, *see* Relapsing fever and other spirochaetoses
Splenomegaly,
cryptogenic, chronic leg ulcers in, 99
liver and, 229
pathology and, 230
Sprue, 82, 351, 475–6, 872
diagnosis, differential, 475
endogenous, faecal fat excretion in, effect of very low fat diets, 351
infantilism and, without gastrointestinal symptoms (case), 82
iron absorption in, 872
malabsorption syndrome, 476
nontropical, urinary excretion of 5-hydroxyindolacetic acid in, (82)
Sterility, in African males, in Ghana, (249)
Stomach ulceration (peptic)
in African tribal groups, 1062
Gold Coast, (1063)
India, (1063)
Tetanus treatment, antiserum, combined with rabies antiserum, 434
Toxoplasmosis, 92–3, 219–21, 355–9, 480–82, 563, 655–6, 763–9, 879–81, 976–9, 1059–60, 1186–90, 1274
Abstracts of, Moscow conference on, 763–5
acquired, postnatally, abdominal symptoms in, 1188
animal, including experimental
chicken infection, 1189
diagnosis
complement-fixation test, intradermal test and, in sheep, 769
laboratory animals in, 978
dog infection (case), 1188
domestic and wild animal infection in Czechoslovakia, 879
epidemiology
in Belgian Congo, 977
domestic animals, 221, 357
Toxoplasmosis—*cont.*
animal, including experimental—*cont.*
epidemiology—*cont.*
in sheep in England, 977
slaughter animals, 221
immunity acquisition in rats, (221)
intradermal reaction in rabbits immunized against *T. gondii*, 1274
rat infection, pathology of, 1190
review of, (480)
squirrel infection, differential diagnosis from rabies, 655
transmission, congenital, in mice, 1189
treatment
drug trials in mice, 358
primaquine and sulphamethoxypyridazine, 881
pyrimethamine, sulphonamides, trials of, 766
visceral lesions in, 1274
avian
in Czechoslovakia, 879
epidemiology, 357
cerebral calcification and choroidoretinitis, due to, (358)
congenital
diagnosis, choroidoretinitis in, 221
epidemiology
in Cuba (1st case), 355
U.S.S.R. (Moscow), 769
sexual precocity in (case), (563)
diagnosis
complement-fixation tests,
antigens in, evaluation of, 768
in syphilitic patients, 357
haemagglutination test, 1188
*Toxoplasma* antigen characteristics, (769)
immuno-electrophoretic, (220)
peritoneal exudate antigen, advantages of, 220
Sabin-Feldman dye test, 766
complement-fixation and, comparison, 481
haemagglutination test and, comparison, in Trinidad natives, 481
in syphilitic patients, 357
intradermal tests and, compared, 1059, 1060
specificity of, 93, 563
epidemiology *see also* animal, *above*
in Costa Rica, 355
Cuba 355, 480
Czechoslovakia, 1186
Guatemala, 355
India (Delhi), 563
Netherlands, 976
Poland (Cracow), 1186
South Africa, 765
U.S.A. (New Haven), 563
in meat eaters and vegetarians in India (Bombay), 766
obstetric patients, 220
intradermal reactions
in Argentina, 355
Cuba 355, 480
relation to diet, in India, 563
serological survey in French Equatorial Africa, 219
human uterus, chronic form in, 655
laboratory infection (case), 563
lysergic acid, schizophrenia and, 880
ocular, clinical picture in, 978

*See p. 1323 for the special arrangement of the index*

Toxoplasmosis—*cont.*
prophylaxis, antigen test, 766
review of, (765)
schizophrenia, lysergic acid and, 880
uveitis, 880
treatment, 880
*Toxoplasma*, including *T. gondii*
adenine, inhibitory effect in tissue culture, 92
antibodies, in children in Cuba (Havana), 1060
culture, 219
exudate cells, separation from toxoplasms, (220)
in Cuba (1st case), 355
isolation, methods for, 480
morphology in electron microscope, 1187
pseudocysts and cysts of, 766
pyrimethamine,
inhibitory effect on, 93
resistant strain developed *in vitro*, 769
reservoirs of, 356
strain differences, 1187
survival in human blood *in vitro*, 356
virulence of, 767
in rabbits and guinea pigs, 768
Trachoma *see* TROPICAL OPHTHALMOLOGY index
*Treponema*, *see* Yaws and other Treponematoses, *below*
Tropical diseases
allergies in, 226
analysis of medical admissions to Mulago Hospital, 1957, 659
in children, [book review], 901
malignant (fatal) attacks in, 97
nursing of, 1293
Tropical hygiene, *see* Hygiene, *above*
Tropical medicine
African medicine, magic and witchcraft, 374
[book review], 999
consultant view of, 373
education for, 373
first aid in tropics [book review], 996
history of, 492
problems in practice of, 899
research report, 579
Sudanese [book review], 380
Tropical ulcer, 225, 1193
complications of, 1193
diagnosis, 1193
leg, diagnosis, (1193)
treatment, ambulant, 225
Tsetse *see* ENTOMOLOGY index
Trypanosomiasis, 18–23, 132–40, 279–84, 423–5, 518–21, 597–9, 698–703, 809–13, 924–8, 1011–5, 1112–7, 1222–5
experimental, including non-human infections
antiorgan sera, effect in mice, 136
diagnosis, colloidal gum mastic reaction as aid in, 280
immunity in mice, effect of irradiation, Indian ink blockade or splenectomy, (812)
in dogs, in Brazil (Timbaúba), 282
domestic animals, in Africa, 518
mixed infections in domestic animals, (1116)
prophylaxis
antrycide, (520)
chemoprophylaxis in cattle, (927)
Trypanosomiasis—*cont.*
experimental, including non-human infections—*cont.*
prophylaxis—*cont.*
drug trials, in cattle, (423)
*Herpetomonas culicidarum* in trypanostatic trials, (423)
research on, 677
in East Africa, (112), 494
West Africa, 1011
Summary of recent abstracts, 501–8
transmission to foetus, 135
treatment
amphomycin, trials in mice, 1116
suramin complexes in, (520)
2-acetamido-5-nitrothiazole, in mice, 1117
trypanocides
metamidium, trials, 281
stilbamidine in rats, 812
*brucei*, glycaemia variation in guineapigs, (136)
*congolense*, tetrapyrrole derivatives, effect in mice, 927
*cruzi*
farm mammals as vectors of, 283
myocarditis in, technique for testing, in mice, 284
*equiperdum*, cortisone, effect in rats, 701
*evansi*, transmission of, in poultry, (927)
*gambiense*, susceptibility of Gambian rat to, 134
*rhodesiense*
pyrimidylaminophenylarsonic compounds, trials, 20
4–(2: 6–diaminopyrimidin–4–ylamino) phenylarsine oxide, trials, 519
trypanocides, tryparsamide and Mel B in rats, 1222
*simiae*, suramin complexes, trials in pigs, 282
human (African, sleeping sickness)
cerebrospinal fluid in, composition of, 19
control, in Mozambique, 1224
diagnosis, serum protein lability test, 280
epidemiology,
in Africa, 518
Mozambique, 1112
review of, 1073–93
influenza (Asian), effect on, 279
research, in Africa
South of Sahara, 18
West Africa, 1011
Summary of recent abstracts, 501–6
treatment
chemotherapy, 924
Mel B, 1114
derivative, 1115
pentamidine causing hypoglycaemia, 598
*gambiense*
epidemiology, in East Africa, 1083–5
treatment, chemotherapy, 132
human (American, Chagas's disease)
acute hydrocele in, (139)
C-reactive protein in, 138
cardiopathies in,
mega-oesophagus and, in Brazil, 703
myocarditis and
in Argentina, 283
Brazil (Rio Grande do Sul), 22

*See p. 1323 for the special arrangement of the index*

Trypanosomiasis—*cont.*
human (American, Chagas's disease)—*cont.*
clinical picture, aetiology and epidemiology in Venezuela, 1012
control in Brazil, 20, 21
diagnosis
complement-fixation test
50% end-point results from, 1117
xenodiagnosis and compared, 138
parasitological confirmation, in Brazil, 1117
Romaña's sign, allergic reactions to Reduviidae bites compared with, 1013
epidemiology,
in Argentina (Pampa prov.), (424)
Brazil, 20, 21
Mexico (Tutuapan), 1013
lymphatic embolism by intestinal mucus (case), 425
pseudo-erysipelatous plaque, 139
serum, electrophoretic patterns in, 703
Summary of recent abstracts, 507–8
*Trypanosoma* spp.
cultivation *in vitro*, 1222
neurotropism in laboratory strains, 135
new subspecies in African gecko, (1012)
septa formation, 520
terminal respiration in, 1113
" volutin granules " in, comparison of, 519
*brucei*
immune sera, effect on, *in vitro*, 281
*T. gambiense*, relationship with, 1087–9
*T. rhodesiense*, relationship with, 1075–7, 1087–9
*congolense*
cultivation *in vitro*, 136
infection in camel (case), (926)
metabolism, 926
4:4′- diamidino - diazoaminobenzol, mode of action on, 281
*cruzi*
chemical composition of culture form, 927
electron microscopic study of, 137
immunity factors in crithidia stage in chicken serum, 1225
in mammals in U.S.A. (Georgia and Florida), 702
racoons in Maryland, 702
myocarditis after repeated inoculation, in monkeys, 1015
specific serum, effect on, 598
survival in dead triatomids, 21
*T. vespertilionis*, comparison with, 424
vectors and reservoirs in Brazil, 425
2-acetamido-5-nitrothiazole, effect on, in mice, 1117
*dimorphon*, morphology, 926
*duttoni*, immunity in mice, (812)
*equiperdum*
mutation rate in, (520)
survival in refrigerated blood, 282
*freitasi*, n.sp. in opossum, 22
*gambiense*
distribution in East Africa, 1085–7
polymorphism, 1113
survival time in transfused blood, 809
*T. brucei*, relationship with, 1087–9
*T. rhodesiense*, relationship with, 1087–9
virulence affected by spirochaetes, in mice, 20
Trypanosomiasis—*cont.*
*Trypanosoma* spp.—*cont.*
*lewisi*
antibodies, electrophoretic and ultra centrifugal studies, 1116
*P. berghei* infection and, in rats, 805
*rhodesiense*
amphomycin, effect in mice, 1116
cortisone, effect in albino rats, 925
distribution in East Africa, 1085–7
in bushbuck, 698
metacyclic forms, development into blood forms, 698
polymorphism, 1113
survival time in transfusion blood, 809
*T. brucei*, relationship with, 1075–7, 1087–9
*T. gambiense*, relationship with, 1087–9
*rotatorium*, in frogs in Costa Rica (1st report), 813
*vivax*, infectivity in *G. palpalis* and *G. tachinoides*, 925
Tuberculosis
bacilli, tubercle and lepra, differential staining, 1140
diagnosis, tuberculin test reaction, lepromin test and, 1242
experimental, resistance to plague increased by, in mice, 156
leprosy and, 1140, 1243
immunological relations, 451
investigation by differentiating stain " Sudan black " (cases), 448
Tularaemia, experimental, immunization with combined plague and tularaemia vaccine, 828
Typhus group of fevers *see* SPECIAL index
*Vibrio*, *see* Cholera, *above*
Virus diseases, *see also* Dengue, Rabies, Yellow fever, etc.
arthropod-borne, antibodies to, in Colombia (Santander), 1020
in Nigeria, 819
Yaws and other treponematoses, 167, 619, 838, 947–8, 1031–3, 1137
diagnosis, Kahn's universal reaction in, 167
pinta, diagnosis, non-specific complement fixation test, 948
yaws
bone abnormalities due to,
in Netherlands New Guinea (case), 1031
West Indian immigrants, 838
contracture of fingers in West Africa, due to, 1032
control, mass campaign in Liberia, 1032
epidemiology
in Great Britain (case), 619
Peru, 619
receding, epidemiology, 1137
treatment, PAM and skin lesion cure rate, 947
Yellow Fever, 31–2, 147–9, 294, 431–2, 525–7, 605–7, 712–5, 819–22, 1020–21, 1122–3, 1228–9
control
in S. Africa (Witwatersrand), 712
measures against entry, in U.S.A., 606
diagnosis, serological reactions, 606
epidemiology, (431)
in America, 294, 432

*See p. 1323 for the special arrangement of the index*

Yellow Fever—*cont.*
epidemiology—*cont.*
in Brazil, 432
Amazon, man and mosquitoes, 1228
Central America, (31)
Surinam, 147
experimental
eclipse phenomenon in, in mice, 605
laboratory transmission by *Sabethes chloropterus*, 148, 1122
sensitivity to neurotropic virus inoculated parenterally in guineapig, 31
immunity
in mice, 714
mouse protection test, 1122
serological surveys
in Surinam, rural populations, 525
other arthropod-borne viruses and,
in Colombia, 1020
Nigeria, 819
pathological anatomy, in man and animals,(31)
Yellow Fever—*cont.*
prophylaxis, (31), 605
vaccines
17 D strain
combination with smallpox by scratch method, 820
neurotropic variety, 1229
peptone, protective effect of on, 1021
scarification, results with, 148
virulence, changed by single mouse passage, 1228
serum antibodies evoked by, 713
Summary of recent abstracts, 113–6
symposium on, (31)
transmission, vectors
*Sabethes chloropterus* in C. America, 148
mosquitoes in U.S.A., 431, 432
virus, (31)
Dakar strain, neutralization by horse immune serum, variations in contact time and temperature, 526
Zoonoses
anthropozoonoses and, 226
human disease and, in French Sudan, 97

## AMOEBIASIS AND INTESTINAL PROTOZOAL INFECTIONS

Amoebiasis and Intestinal Protozoal Infections, 45–51, 159–66, 300–302, 439–44, 534–6, 610–19, 723–7, 829–36, 945–6, 1029–31, 1134–7, 1235–8
adrenal cortical hypofunction in, 614
ascariasis and, 618
autopsy observations, 1135
clinical aspects (445 cases), (46)
diagnosis, 617
bone marrow in antibody production in, 160
complement-fixation test, antigens for
comparative evaluation, 614
preparation, 724
laboratory, 45
parasitological, 301
rectosigmoid mucosa in, 162
F2AM solution and, 161
dysentery, amoebic
in Great Britain (returned persons), 534
Netherlands (autochthonous case), 829
S. Africa (Durban), 45, 832, 1236
liver function, blood and serum proteins in, 1236
treatment, Camoform, 443
11925 Ciba, 163
11925C Ciba (Entobex), 163, 833
paromomycin, 1238
puromycin, 833, 1238
with phthalyl-sulphathiazole, 1238
epidemiology
in Colombia, 1236
Amoebiasis and Intestinal Protozoal Infections—*cont.*
epidemiology—*cont.*
in Cuba, 439, 830
Morocco (Spanish), 439
Netherlands (airline personnel), 610
South Africa (Durban), 45
experimental, 726
factors in acute form, in kittens, 165
in " germfree " guineapigs, 723
treatment,
emetine, electrocardiography in guineapigs, (444)
PA 128, 444
tetracycline-oleandomycin (Signemycin), 1136
hepatic, 46, 832
abscess (case), 49
amoebae in, 1030
anatomical stages of, 614
autopsy studies, 1135
liver, blood and serum protein patterns in, 1236, 1237
ruptured, presenting as peptic ulcer, 615
treatment, Camoform, 443
chloroquine diphosphates, 1031
erythromycin, 444
different types of, 48
inflammatory hepatitis and, 1030
in children
clinical observations (cases), 535

*See p. 1323 for the special arrangement of the index*

Amoebiasis and Intestinal Protozoal Infections —*cont.*
in pathological anatomy, 441
intestinal,
aetiology, bacteria in, 723
diagnosis, comparative, 1029
treatment
11925 Ciba, 725
11925C Ciba (Entobex), 725
with iodochlorhydroxyquinoline, 725
oxytetracycline, 618
Pontalin (Win 5047), 1136
late development (4 cases), 534
pathogenesis, 725
public health hazards, in light of host-parasite relations, 611
serology, (534), 614
treatment, 618, 725
*see also* experimental *above*
bacitracin, streptomycin and, clinical trial, 617
11925 Ciba, 163, 165, 443, 615, 616 *bis*, 725
11925C Ciba, 163, 164, 165, 443, 615, 616 *bis*, 725, 833 *bis*, 1029
diallyl-diethylaminocresol dihydrochloride, (Camoform), 443
dichloroacetamide (Mebinol), 165, 617, 834, 1030
derivatives,
ethyl, 617, 834
K374, trials, 834 *bis*
5,7 - dichloro - 8 - hydroxyquinaldine (Siosteran), trials, 726
Entamide preparations, in Burma (Upper), 1135
Polybenzarsol, 49
Amoeboma
of colon, 301, 725
triple localization, 724
Balantidiasis, 50
(case), (302)
in pigs, 536, 835
*Dientamoeba fragilis* in Costa Rica (first report), 835
*Entamoeba*
pathogenicity and distribution, 611
size variation as species criterion, 1235
*coli*
culture media, Nelson, LES and Pawlowa compared, 300
in Costa Rica (students), 830
pathogenicity, 834
*histolytica*
antibiotics and dyes, effect of different culture media on activity of, 946
antigens, extracted by different methods, 614
commensalism, 439
*Entamoeba—cont.*
*histolytica—cont.*
culture of
*in vitro* inhibition by specific antibody, 945
medium for, 611
new monophasic, 723
with penicillin-inhibited *B. symbiosus* cells, 830 *bis*
cysts of
*in vitro* formation, 160, 1235
Chang's method, 612
survival on lettuce, duration of, 440
cytology, 1235
enzymes
casease, 613
gelatinase, 831
proteolytic activity demonstrated with photographic gelatin film, 613
growth,
cholesterol, effect on, 1134
PA 128, *in vitro* effect on, 444
requirements, ingestion of altered bacterial structures in Shaffer-Frye medium, 612
in Costa Rica (students), 830
metabolism, types of starches utilized in, 1236
morphology, life cycle and host-parasite relations, 439, 440
pathogenicity, (300)
preservation, F2AM solution for, 162
strains of
non-pathogenic
origin of, 832
pathogenic and, differentiation in avirulent phase, 534
size as criterion of, 1235
survival time and critical temperatures, 159
temperature adaptation, effect on virulence and, 159
virulence, restoration after apparent loss of pathogenicity in rat, 441
trophozoites, resistance under different environmental conditions, 440
virulence, effect of cholesterol, 1134
*invadens*, axenic strains, growth and behaviour, 618
*moshkovskii*, survival in hamster's liver and rat's caecum, 535
*polecki* in pigs, 835
*Giardia intestinalis*, pathogenicity, 835, (1031)
Giardiasis
general account, 166
in children, effect on growth of, 1064
mucous rectocolitis associated with, 835
treatment, (1031)
*Isospora* spp. infection
epidemiology in school for mental defectives, 302
in Brazil (Pernambuco) (case), 51

*See p. 1323 for the special arrangement of the index*

## DEFICIENCY DISEASES


Deficiency diseases, 81–2, 200–6, 344–51; 472–5, 556–60, 645–8, 755–9, 867–72, 963–9, 1047–52, 1174–80, 1269–71
  in children in Windward Islands, 1269
  nutritional diseases, conference on, 473
  serum protein levels, in Australian aborigines, 81
  tropical, international symposium, 556
Beriberi
  in Burmese mothers and children, 1049
  acute cardiac failure in, treatment, thiamine excretion and response to, correlation between, 758
  treatment, thiamine enriched rice, effects of, 870
Foods
  in Timor, 1176
    Tripolitania, 647
  ascorbic acids in rural diets, in Nigeria, 558
  baobab tree, ascorbic acid content, (202)
  FAO/UNICEF Asian School Feeding Seminar, report, 1271
  groundnut cake, biological value by nitrogen balance sheet method, 472
  *Lathyrus sativus* seeds, resting and germinated, non-protein nitrogenous constituents, (774)
  milk
    human
      in India, 558
      constitution in third year of lactation in Nigeria, 558
      vitamin content, effect of socioeconomic status in, 646
    vegetable, 645
  nitrogen absorption from different foods, 349
  preparation and diet, labourers in S. Africa (Witwatersrand), (200)
  rice, thiamine enriched, effect on farming community in Japan (Kyoto), 870
  taboos for pregnant women, lactating mothers and infants, in Netherlands New Guinea, 81
  vegetable protein mixtures for lactating infants and pre-school children, (758)
Kwashiorkor
  in Belgian Congo, 556, 1176
  blood levels in, (1178)
  experimental
    fatty liver in primates, 350
    low protein-high carbohydrate diet, effect in rodents, 350
  eye in, 349
  hair in, chemical and morphological changes, 348
  in children
    in Rangoon, 560
      South India, 1177
    aminoaciduria in, 871, 968
    anaemia in, 348, 1178
    blood in
      cytohaematological pattern in, 348
      erythrocyte sedimentation rate in, 348
    dehydration in, 1177
    fat absorption in, 347
    infection, role in, 346
    intestinal bacterial flora in, changes, 346
    knee bones, development in, 871
Kwashiorkor—*cont.*
  in children—*cont.*
    liver in, lesions, 1179
    protein metabolism in, 347
    purpura in, 1178, 1271
    treatment
      calcium salt of ester choline phosphate supplement in, 969
      carob flour supplements, effect on nitrogen absorption in, 966
      corn masa, amino-acid supplement, effect on nitrogen retention, 967 *bis*
      lysine in, 967
      skimmed milk, effect of various formulae, 474
    vitamin A malabsorption in, 966
  liver in, lesions, electron microscope study, 965
  metabolism in, calcium and phosphorus, 757
  muscle biopsies in, histology, 556
  plasma in, (1178)
  potassium levels in, (1178)
  prognostic criteria, 968
  purpura in, 1178, 1271
  serum cholesterol level in, 757
  treatment
    aureomycin and maize gruel, 349
    prevention and, (758)
Liver, *see also* General Index
  cirrhosis, experimental, effect of selenium in diet, in rats, 351
  diseases, Africans in S. Africa (Durban), 1051
  fatty, experimental, in primates, 350
  in malnutrition in children in French Wes Africa, 1270
  siderosis, nutritional
    in Ghana, 1050
      South Africa (in Indian, case), 1052
    experimental, in rats, 350, 867
Malnutrition
  in Uganda, 559
  asystoles due to, and with organic heart failure in Morocco, 474
    liver biopsy in study of, (1270)
  in children
    in French West Africa, 963, 1270
    blood
      amino acid levels in, 647
      proteins and serum electrophoresis, 1270
    diagnosis
      ACH Index modification, 559
      liver puncture biopsies results, in French West Africa, 1270
    metabolism, calcium, nitrogen and phosphorus, effect of rice replacement in poor vegetarian diets by
      ragi, 966
      tapioca macaroni, 344
    milk, skimmed, effect in W. Indies (St. Kitts Nevis Anguilla), 871
    mortality
      in Uganda, questionnaire on malaria and, 1174
      W. Indies (Trinidad), 202
    neutral 17-ketosteroids in, 1271
  in infants, muscle mass in, indirect indicators of, 1050


*See p. 1323 for the special arrangement of the index*

Malnutrition—*cont.*
metabolism in, calcium and phosphorus, 757
pancreas in, cirrhosis and disseminated calcification of, 1050
Nutrition
in India (Karjat Taluka), (200)
rural village survey, 964
Jamaica, low income areas, 867
Korea, armed forces, (1176)
Libya (FAO report), 200
Tripoli suburb, 755
Tripolitania, 647
South America (FAO Conference), 963
Sudan (dry areas), 646
Timor, 1176
Togo (agricultural population), (557)
calcium requirements, 556
diet
blood chemistry and, in Windward Islands, 1048
food preparation and, labourers in S. Africa (Witwatersrand), 200
economic conditions and, in Brazil (Joao Pessoa), 757
FAO/WHO Expert Committee on (5th report), 556
fertility and, in N. Nigeria, 755
in children
in Brazil (Rio de Janeiro), 756
Malaya, 1048
Papua, 200
calcium and phosphorus balances in, in Africa, 473
diet and environments, in Papua, (559)
nitrogen absorption from different foods, 349
rehabilitation programme in Venezuela, (473)
tapioca macaroni replacing rice in poor vegetarian diet, 344, 345
in disease, (559)
in mothers and children in Guam, 472
in women in Iraq, 556
malaria control and, in British Guiana (sugar estates), 1047
nitrogen, calcium and phosphorus balances in African nursing mothers, 1049
phosphorus requirements, 556
protein intake, in India (Pennathur), 1175
serum protein, infection and, in Netherlands New Guinea (Papuans), 964
Nutrition—*cont.*
social anthropology in health education with reference to, 758
soya flour diet supplementation, effect on breast milk output, in Nigerian women, 1174
vitamin intake, in India (Pennathur), 1175
Oedema, nutritional
in India (Pennathur), 1175
in children, treatment, acetazolamide, 647
renal function in, 1178
Pellagra
in Morocco, (82)
Yugoslavia (Bosanska Krajina), 648
liver in, 1180
parotids in, 203
Protein deficiencies
in Africa, effect on nutrition, 346
calorie deficiency and, in children, (647)
experimental
calorie restriction and effect on liver, small intestine and pancreas in young albino rats, (648)
pathological processes in pigs, 556
nomenclature, 346
Rickets, scurvy and, osteopetrosis associated with (case), (871)
Scurvy
in infants (cases), 1049
in India, 202
in nomads, in Algeria (Western Grand Erg), (1180)
rickets and, osteopetrosis associated with (case), (871)
Siderosis, nutritional
in Ghana, 1050
S. Africa (in Indian, case), 1052
experimental in rats, 350, 867
Sprue *see* General index of subjects
Vitamins
A deficiencies
conjunctival lesions in, histopathological study, 344
ocular lesions in, in Kivu, 560
B deficiencies
neuropathies attributable to
atypical, 203
tropical ataxic, clinical aspects, 868
deficiencies in India (Pennathur), 1175

*See p. 1323 for the special arrangement of the index*

## DERMATOLOGY AND FUNGUS DISEASES


Dermatology and Fungus Diseases, 222–4, 359–60, 482, 564, 656–8, 770–71, 881–2, 979–81, 1190-92, 1275–6
- dermatitis
  - bird mites in (case), 1288
  - caterpillars in, in Israel, 881
  - yellowtail moths in, in ship arriving at Genoa, 881
- dermatoses in Africans [book review], 903
- gangrenosa et bullosa, 770

*Allescheria boydii*, pulmonary infection with (fatal case), 482

Blastomycosis
- experimental, treatment, amphotericin B, 770
- keloid (case), 1192
- lung, treatment, 6-sulphanilamido-2,4 dimethylpyrimidine (case), 223

Chromoblastomycosis
- in Madagascar (Antalaha—cases), (1191)
  - Mexico (case), 979
- brain abscess in South African Bantu (case), 658
- due to *Phialophora pedrosoi* in French Equatorial Africa (first case), 979
- pseudo-keloid (new clinical form) (case), 1276
- treatment, amphotericin B solution, 658

Coccidioidal villous synovitis (case), 981

*Coccidioides immitis*, influence of media and mechanical agitation on development, 1192

Coccidioidomycosis
- [book review], 1209
- disseminated
  - canine (case), (223)
  - treatment
    - amphotericin B, 359
      - remission produced by, 981

Coccidioidomycosis—*cont.*
- fatal, morphology and racial distribution, in endemic area in U.S.A. (Arizona), 656
- pulmonary, 'immediate' skin reaction in, 657
- residual, 359

Dermatosis papulosa nigra in Africans, 1190

Mycetoma
- in Belgian Congo, 979
  - French West Africa, (359)
- clinical and surgical aspects, 980
- mycological and bacteriological studies in French Africa, 980
- neck, in African (case), 1275
- pathological anatomy, 980
- surgical aspects in Dakar (cases), (359)
- treatment
  - in Belgian Congo, 979
  - DDS, local injections, 564

Mycotic diseases, classification of, 222

Paracoccidioidomycosis in children (case), (360)

Pemphigus foliaceus, treatment, triamcinolone, preliminary trials, 564

Piedra
- case originating in U.S.A., (656)
- in Cuba (first case), (1191)
  - primate pelts, 1191

Porokeratosis in Singapore (case), 564

Rhinoscleroma
- ethmoid cells, maxillary sinus and orbit involvement in, (227)
- ulcers in, malignant change in (case), 486

Rhinosporidiosis, visceral involvement in (case), 1275


*See p. 1323 for the special arrangement of the index*

## ENTOMOLOGY AND INSECTICIDES : GENERAL ZOOLOGY


Entomology and Insecticides: General, 104–10, 241–8, 366–73, 487–92, 572–8, 665–75, 776–80, 885–99, 985–92, 1068–70, 1200–1207, 1285–91
in New Zealand (bibliography), (886)
arthropods
control, insecticides, resistance to, 247
vectors of human infections and parasitic diseases, (241)
insects
in Italy, of medical importance, (572)
associated with animal parasitism, nutritional requirements of, (487)
control, gamma radiation effect on, 1290
labelled with, phosphorus-32 and sulphur-35, method for distinguishing, 665
muscles, protein composition, electrophoretic study, (487)
*Aedes*, *Anopheles*, *see* Mosquitoes, *below*
Argasidae, *see* Ticks, *below*
Calliphoridae
in Japan, (1287)
local distribution and dispersal in hill country, (490)
myiasis due to (cases), 778
Ceratopogonidae *see also Culicoides*
in French West Africa, (669), (1068)
Japan (Niigata-Yamagata), (890)
*Cimex* spp.
control, insecticides, resistance to, 990
*hemipterus*, control
dieldrin, resistance to, in Tanganyika (N.E. Pare area), 990
insecticides, resistance to, 576
Cockroaches
control, insecticides
aerosols, method of evaluation, (992)
spray tests, (992)
*Blattella germanica*, insecticide resistant strains, cross-resistance in, 1205
*Periplaneta americana*, treated with DDT and TEPP, acetylcholine in, 672
*Culex*, *see* Mosquitoes, *below*
*Culicoides* spp.
in Brazil (Sao Vicente), 988
French West Africa, (1202)
Mexico, 669
Panama, (1202)
control, (777)
*circumscriptus*, larvae, behaviour to light stimuli with reference to feeding habits, 574
*haranti*, n.sp., (1202)
*impunctatus*, larvae control, insecticide persistence in Scotland, 890
Diptera, classification of, (110)
Fleas
collection by aspiration, 719
control, insecticide-bait-box, 610
mean number, relation to rat infestation in U.S.A. (S.E. states), 290
parasitic on
opossum, nature of in U.S.A. (S.W. Georgia), 1288
rodents, in Tanganyika, 43
wild, in U.S.A., detection of *Past. pestis*, 42
Fleas—*cont.*
*Ctenocephalides* spp.
*canis*, stimulation by carbon dioxide in breath, 110
*felis felis*, large-scale rearing, 577
*Neopsylla specialis japonica* n.sp., in Japan, (246)
*Polygenis litargus*, plague vector in South America, 155
*Pulex* spp.
*irritans*
in N. America, 438
culture methods for, 577
*simulans*
in N. America, 438
culture methods for, 577
Houseflies, including *Musca domestica*
control
BHC
in milk, toxicity in relation to butter fat, (109)
resistance to, metabolism in, 1203
DDT
adsorption, absorption and conversion to DDE from dry residues, 1286
dosage-mortality curves in susceptible and resistant houseflies, 1203
resistance to,
determination of by test in Petri dishes, 893
pupae, chilling of, effect on emergence of resistant and susceptible flies, 892
susceptibility to, in India (Delhi and Rajasthan), 778
diazinon, resistance to, 371
insecticides
aerosols, testing against native strains, 671
resistance to
in British colonies, 893
France and Germany, 1069
several strains in Japan, 989
infra-red spectra of acetone extracts of strains, 370
malathion, resistance to, 109
1-naphthyl-N-methyl carbamate (Sevin) and Sesoxane synergist, resistance in DDT and parathion resistant flies, 1204
organophosphorus compounds, resistance to
in different strains, 894
U.S.A. (Arizona and Georgia), (109)
(Florida), 490
esterase activity in, 778
phosphoric esters, resistance to, in Italy (Latina), 895
piperonyl butoxide
*cis* isomers of allethrin with, relative toxicity and synergism intensity of, 490
malathion and, applied topically, interaction of, 245, 892
thiol alkylating agents, halogen-containing, speed of action on resistant strains, comparative study, (576)
deposition of airborne droplets on dead houseflies, 1287
generative organs, (109)
head, acetylcholine synthesis in, (892)


*See p. 1323 for the special arrangement of the index*

Houseflies, including *Musca domestica*—*cont.*
larvae
control, thiodiphenylamine and kerosene, 576
third-stage, alkyl bromo- and chloroacetates, contact toxicity of, 670
*Musca* spp. (other than *domestica*)
*domestica* subspecies
geographic distribution, 890
hybridism, natural and experimental between, 891
wild strain, pyrethrin and pyrethrin-piperonyl butoxide resistance in, in Sweden, 670
*nebulo* F, aldrin resistance in, in India, 989
*sorbens*, laboratory rearing and culture, 575
Insecticides
aerosols
olfactory stimuli from insect reaction to, 578
storage methods, (992)
aldrin, breakdown in soils, 898
BHC
lindane, breakdown in soils, 898
particle size distribution, relation to dispersibility, 248
chlorinated hydrocarbons, persistence of, influence of soil types, application rate and temperature on, 899
Co-Ral (Bayer 21/199), metabolism in housefly, cattle grub, ox, rat and mouse tissues, (1287)
colonial research 1957–58 (report), 885
Communicable Diseases Center annual report 1959, 991
DDT
analogues, structural, relation between structure and synergistic activity, (373)
book review, 903
particle size distribution, relation to dispersibility, 248
residual
spraying, trials of, 420
toxicity, in India (Uttar Pradesh), 594
dieldrin, particle size distribution, relation to dispersibility, 248
drift spraying for vegetation baiting, (1291)
liquid household, method of evaluation, (992)
malathion, residual life of, 1290
micropipette for topical applications, 1291
paints and lacquers, experimental production and use, 578
pyrethrin
stabilization by piperonyl butoxide in water as mosquito larvicides, 107
synthetic, biological effect, 1069
toxicity of, effect of combination of unrelated synergists on, 670
repellents, action shown by radioactive tracer, 987
residual
adsorption of, measurement by flowing chromatography, 898
trials against culicines, 190
resistance to, 673
WHO report on, 491
soils, sorption by, 674 *bis*
solid, "vapour toxicity", 1205
Insecticides—*cont.*
spraying equipment nozzles,
distribution pattern and spray angle, (1206)
erosion of, prediction in discharge rates, 674
flow regulation metering orifices,
in polythene discs, 1206
soft rubber discs, 1206
synergists, unrelated, effect of combination on pyrethrin toxicity, 670
Lice, *Pediculus humanus*
control
DDT, resistance to
biochemical investigation, 896
reduction by reverse selection, 289
gammexane (BHC), effect on nits, 143
rotenone, synergists for, 26
migration, distribution and egg-laying in various kinds of cloth, 288
*Linguatula*, *see* Pentastomida, *below*
Mites
mesostigmatid symbiotic, blook-sucking powers of, 897
*Dermanyssus gallinae*, household infestation in U.S.A. (New York), 779
*Dermatophagoides scheremetewskyi* free-living on albumin tannate stored in dispensaries, 246
*Neoschöngastia gallinarum* morphology, (1017)
*Ornithonyssus sylviarum*, pruritus due to (case), 1288
*Trombicula* spp.
distribution viewed from true home range of host voles, 815
*deliensis*, morphological and biological differences between two types of, 815
Trombiculidae
bird parasites in rocky resting places in Japan (Miyake Island), 428
larvae, leg chaetotaxy, in Japan, 143
Mosquitoes
in China
(Kweichow Prov.), 800
(North East), 1200
(Szechwan), 799
East Africa, 588
Europe (Mediterranean countries), 985
Kenya (Mombasa), 986
Morocco, 409
North Africa, 985
Poland (Kampinos wilderness), 1200
Puerto Rico (Isla Verde international airport), 242
South Cameroons, 510
U.S.A. (Salt Lake County), 105
behaviour of in Kenya (coast), 487
biological constants and trophic condition in mosquito populations, relationship, 242
biting, reactions in experimental animals, 1285
breeding places, productivity of, in Uganda (swamps), 241
cages, flexible, for transportation of, (1200)
control
in Hawaii, 107
biological, *Gambusia affinis*, effect of organophosphorus insecticides on, 804
DDT and malathion compared, aerosol tests on various species in U.S.A., 108

*See p. 1323 for the special arrangement of the index*

## REVISED *Anopheles* SECTION


Mosquitoes—*cont.*
*Anopheles* spp.
in Java (central), 7
Papua and New Guinea, 269
Somalia, 7
control
in Java (central), 7
U.S.S.R. (Samarkand), 273
BHC susceptibility, effect of climate, 593
DDT susceptibility, effect of climate, 593
dieldrin, residual, in Tanganyika, 515
insecticides, inherited resistance to, 419
limnology in, (16)
distribution, in Brazil, 9, (118 *bis*)
seasonal, in India (Delhi), 117
egg production, standard method for, (117)
larvae
breeding water *p*H and density in Brazil, 118
DDT, effect on culture media and, 410
dieldrin, delayed effect of, 515
sexing method, 8
malaria vectors in S.E. Asia, 591
physiology, in Asia, 510
Summary of recent abstracts: Malaria, 264–6
*albimanus*, DDT resistance in Panama, 923
*annandalei interruptus*, in Cambodia, (488)
*aquasalis*, dieldrin resistance in Trinidad, 517
*argyritarsis* chromosomes
polymorphism and ecology in Brazil, 9
salivary, 10
*atroparvus*
chromosome arrangement in
DDT-resistant strain, 692
dieldrin-resistant strain, 11
host-seeking behaviour, 1104
insecticide susceptibility, study method, 418
*bellator*, in British Guiana, 1106
*coustani*, DDT susceptibility in Somalia, 124
*cruzi*, DDT susceptibility in Brazil, 126
*darlingi*
chromosomes, salivary, 10
control, DDT
in French Guiana, 124
susceptibility in Brazil, 126
*freeborni*, in U.S.A. (Salt Lake City), 105
*funestus*
control, DDT susceptibility in Somalia, 124
feeding habits and age of hosts, 272
*gambiae*
in S. Africa (N. Transvaal), 15
S. Rhodesia, 13
age-grading modified technique, 271
biological data, relation to malaria control in Tanganyika, 1219
breeding, salinity and, in Tanganyika, 1105
cattle feeding and resting behaviour, 410
control
BHC in susceptible, hybrid and resistant strains, 273
DDT susceptibility in Somalia, 124
Mosquitoes—*cont.*
*Anopheles* spp.—*cont.*
*gambiae*—*cont.*
control—*cont.*
dieldrin
in susceptible, hybrid and resistant strains, 273
resistance to, in Ivory Coast, 419, 1220
in North Nigeria, 419
resistant gene in Fr. W. Africa, 12
susceptibility to, 516
insecticides
resistance in Nigeria (Sokoto), 804
susceptibility, method for studying, 418
egg collection, new method, 270
feeding habits and age of hosts, 272
larvae, predation on, 12
malaria and, in riverine villages in Belgian Congo, 3
*Nosema stegomyiae* infection in, in Liberia, 919
nulliparous female recognition, 510
oviposition behaviour, 270
radioactive tagging, 665
*melas*, filariasis vector in French Guinea, 1263
*hyrcanus*
larvae, ecology of, 687
*sinensis*
hibernation of, in China (Chekiang), 801
*W. malayi* transmission by, 341
*labranchiae*, control, in Italy, 122
*maculipennis*
in Poland (National Park), (6)
biotypes, cytogenetics of, in France (South), 270
breeding, effect of daytime shortening, 686
DDT seasonal susceptibility in Germany, 1107
paper chromatography identification, 801
*messeae*, DDT resistance in Serbia, 1008
*noroestensis*, salivary chromosomes, 10
*pampanae*, n.sp., in Cambodia, (776)
*pharoensis*
cattle-feeding and resting behaviour, 410
DDT susceptibility in Somalia, 124
*plumbeus*, new breeding site, in Algeria, 1104
*pseudopunctipennis*
DDT & dieldrin susceptibility in Peru, 1110
dieldrin, resistance in Mexico, 517
*punctulatus*
albinism in, (1106)
chlorinated hydrocarbon insecticides susceptibility, 1110
*quadrimaculatus*
chrysanthemumates and organophosphorus compounds, residual effects, 803
DDT control, anaesthesia effect in, 274
larvae, dieldrin, effect on, 1221
malathion, parathion and EPN, residual effects of, 803
*sacharovi*
seasonal occurrence in Iraq, 6
susceptibility to insecticides in Greece, 123


*See p. 1323 for the special arrangement of the index*

Mosquitoes—*cont.*
*Anopheles* spp.—*cont.*
*stephensi*
DDT resistance to, in Southern Iraq, 516
salivary glands, morphology and genetics, (591)
*strodei* chromosomes
polymorphism and ecology, in Brazil, 9
salivary, 10
*subpictus*
control and behavioural variations in Indonesia, 274
Mosquitoes—*cont.*
*Anopheles* spp.—*cont.*
*subpictus*—*cont.*
DDT resistance, quantitatively estimated, 420
*sundaicus*
breeding
albuminoid and salinity in, 272
factors, (8)
control and behavioural variations in Indonesia, 274
*superpictus*, seasonal occurrence in Iraq, 6

*See p. 1323 for the special arrangement of the index*

Mosquitoes—*cont.*
control—*cont.*
dieldrin
aircraft spraying of in Tanganyika, 1219
residual, chemoprophylaxis and, 1109
insecticides
residual, in French Equatorial Africa (Douala), 1108
susceptibility to, method of capturing mosquitoes for Busvine-Nash test, 104
malathion and DDT compared, aerosol tests on various species in U.S.A., 108
repellents, action of
demonstration by radioactive tracer, 987
olfaction and theory of, 887
on mosquitoes feeding through treated membranes or on treated blood, 987
density of, fluctuations in, influence of larvae density on, 668
distribution, vertical, in U.S.A. (Georgia), 886
ecology in China (Szechwan), 799
excreta, nitrogen partition in, (987)
larvae
in France, 667
alarm reaction of, 243
control
granular Paris green formulation, tests of, 108
insecticides
absorption and toxicity measured by radioactive tracers, 666
testing, changes in effect on mortality, 666
density of, influence on fluctuations in adult density, 668
ova, viability of submerged, 243
sampling outdoor mosquito population, 591
*W. bancrofti* vectors, 1263
yellow fever
vectors in U.S.A. (Texas), 432
virus in, in Brazil (Amazon region), 1228
*Aedes* spp.,
in British Museum, London, (368)
North Africa, (667)
new species, in Nigeria (south), (1201)
ova, oviposition and hatching, 777
*aegypti*
in Algeria (Algiers), 668
Malaya (Kuala Lumpur airport), 776
artificial insemination of, 987
biting
factors inhibiting, 573
reactions in rabbits, 488
control
in U.S.A., 527
DDT
resistance to
after contact of larvae with insecticides, 368
inheritance of, 888
in highly resistant strain, 988
susceptibility to
in new strain in S. Vietnam, (1202)
several strains, 369
dieldrin, susceptibility to, effect of temperature changes on, 889

Mosquitoes—*cont.*
*Aedes* spp.—*cont.*
*aegypti*—*cont.*
human odours, effect on, 244
larvae
control, insecticides, effect of, 244
growth of, effect on defined medium, 244
longevity affected by *Plasmodium gallinaceum* infection, 595
oviposition cycle, 1285
sylvan yellow fever vector in U.S.A., 431
*mariae*, in Italy (Latina), (573)
*nigromaculis*, in U.S.A. (Salt Lake City), 105
*niveus*, in Singapore, (669), (1285)
*nyounae*, n.sp., in French West Africa, (667)
*polynesiensis*, breeding and control in Tahiti, 342
*reali*, n.sp., in French West Africa, (667)
*sollicitans*, larvae, emergence from sod samples, 489
*stokesi*, *P. gallinaceum*, transmission by, 807
*taeniorhynchus*
autogeny, (889)
larvae, emergence from sod samples, 489
*vexans*, in U.S.A., (Salt Lake County), 105
*Anopheles* spp.
control
BHC, susceptibility to, effect of season and temperature on, 593
DDT, susceptibility to, effect of season and temperature on, 593
dieldrin, residual spraying in Tanganyika, 515
insecticides, inherited resistance to, 419
larvae
DDT, effect on culture media and, 410
dieldrin, delayed effect of, 515
malaria vectors in S.E. Asia, 591
physiology, in Asia, 510
*albimanus*, DDT, resistance to, in Panama, 923
*annandalei interruptus*, in Cambodia, (488)
*aquasalis*, dieldrin, resistance to, in Trinidad, 517
*atroparvus*
chromosome arrangement in DDT-resistant strain, 692
host-seeking behaviour, 1104
insecticide susceptibility, method for studying, 418
*bellator*, in British Guiana, 1106
*freeborni*, in U.S.A. (Salt Lake City), 105
*gambiae*
biological data, relation to malaria control in Tanganyika, 1219
breeding, salinity and, in Tanganyika, 1105
cattle feeding and resting behaviour, 410
control
dieldrin
resistance to
in Ivory Coast, 419, 1220
North Nigeria, 419
susceptibility to, 516
insecticides
resistance in Nigeria (Sokoto), 804
susceptibility, method for studying, 418
*Nosema stegomyiae* infection in, in Liberia, 919

*See p. 1323 for the special arrangement of the index*

Mosquitoes—*cont.*
*Anopheles* spp.—*cont.*
*gambiae*—*cont.*
nulliparous female recognition, 510
radioactive tagging, 665
*melas*, filariasis vector in French Guinea, 1263
*hyrcanus*
larvae, ecology of, 687
*sinensis*
hibernation of, in China (Chekiang), 801
*W. malayi* transmission by, 341
*maculipennis*
breeding, effect of daytime shortening on, 686
DDT, seasonal variations in, susceptibility in Germany, 1107
identification, paper chromatography in, 801
*messeae*
DDT, resistance to, in Serbia, 1008
*pampanae*, n.sp., in Cambodia, (776)
*pharoensis*, cattle-feeding and resting behaviour, 410
*plumbeus*, new breeding site, in Algeria, 1104
*pseudopunctipennis*
DDT and dieldrin, susceptibility to, in Peru, 1110
*pseudopunctipennis*, dieldrin, resistance to, in Mexico, 517
*punctulatus*
albinism in, (1106)
chlorinated hydrocarbon insecticides, susceptibility, 1110
*quadrimaculatus*
chrysanthemumates and organophosphorus compounds, residual effects of, 803
larvae, dieldrin, effect on, 1221
malathion, parathion and EPN, residual effects of, 803
*stephensi*
DDT resistance to, in Southern Iraq, 516
salivary glands, morphology and genetics, (591)
*subpictus*, DDT resistance, quantitatively estimated, 420
Anopheline
in French Guinea (Rio-Nunez), 1104, 1263
Mexico, 802
Tunisia, 799
bromeliad-*Kerteszia* complex in Brazil, 802, 1106
control
dieldrin, window-trap hut test in Netherlands New Guinea, 1221
insecticides
resistance to,
in Rumania, 922
Turkey, 804
susceptibility to, biometric studies, 805
female terminalia, in Japan and Formosa, (1201)
population variation in pools of varying salinity, 688
*Culex* spp.
in South America, (488)
larvae, morphology in Southern Cameroons, (887)
Mosquitoes—*cont.*
*Culex* spp.—*cont.*
*martinii* in Italy (Latina Province), (106)
*pipiens*
in U.S.A. (Salt Lake County), 105
(Kansas), naturally occurring intermediate populations, 366
nutritive reserves in males of autogenous and anautogenous populations, 106
*fatigans*
in U.S.A. (Kansas), naturally occurring intermediate population, 366
control, DDT, dieldrin and BHC, susceptibility to, 367
density variations
in houses in Brazil (Florianopolis), 1202
seasonal, in India (Madras State), 190
domestic habits in Brazil (Florianopolis), 105
feeding habits
blood, quantity ingested, 469
on chameleons
blood, (1202)
prevention, thiamine ineffective, (1202)
survival after engorging on, (1202)
hybridization of Philippine strain with *C. pipiens* N. American strain, 367
*W. bancrofti* vector in East Africa, 1264
*molestus*, larvae mortality in strains of, 367
*pallens*, exposure to cold, effect on filariae survival rate, 1264
*tarsalis*, population measurement, comparison of sampling methods for, 368
Culicine
in China (Hainan), 245
India (Uttar Pradesh), (667)
Pakistan (Lahore Inst. Hyg. & Preventive Med.), 887
blood preferences, in China (Nanking rural areas), 1068
breeding habits in Ghana, 107
ecology, in Belgian Congo (forest region), 572
*W. bancrofti* vectors in Netherlands New Guinea, 1166, 1167
*Mansonia* spp.
age determination for individual, 245
*bonne-wepsterae* n.sp., habits and breeding place, 489
*maculipennis*, identification of, (370)
*pseudoconopas*, identification of, (370)
*uniformis*, filariasis vector in French Guinea, 1263
*Psorophora* spp., oviposition and hatching, (777)
*Sabethes* spp.
in British Museum, London, (368)
*chloropterus*, yellow fever transmission by, bionomics of in Central America, 148
experimental, 1122
*Taeniorhynchus* spp.
natural hosts of, determined by precipitin tests, in Uganda, 106
*mansonioides*, laboratory breeding, 469
*uniformis*, biology and control in Ceylon, 340
Moths, *Euproctis flava* urticating spicules of, histological study of development, (991)

*See p. 1323 for the special arrangement of the index*

*Musca*, *see* Houseflies, *above*
Oestridae, *Oestrus ovis*, myiasis due to
in Cape Verde Islands, (1204)
epidemiology in Italy (shepherds), 778
ocular
in Algeria (Guerrara), (671)
nasal, in Algeria (case in S. Oran), (671)
*Panstrongylus*, *see* Reduviidae *below*
Pentastomida, *Linguatula serrata*, human infestation with (case), 673
*Phlebotomus* spp.
in Brazil, 23
(N.E. Minas Gerais), 1203
British Honduras, 1286
French Equatorial Africa (Ubangui Chari), (109)
Greece, 575
Panama, 777
Togoland, (108)
U.S.S.R., 285
*antennatus*, laboratory reared, morphology of, (489)
*dubius*, laboratory reared, morphology of, (489)
*duboscqi*
larvae and egg, morphology of, (669)
*P. p. bergeroti* and *P. papatasi* females and, comparative study of, (1202)
*ferreirana*, n.sp., in Brazil (N.E. Minas Gerais), 1203
*firmatoi*, n.sp., in Brazil (N.E. Minas Gerais), 1203
*lewisi*, in Algeria (Biskra), (490)
*moreli*, n.sp., in Ivory Coast, (490)
*papatasi*
*bergeroti*
*P. papatasi* and *P. duboscqi* females and, comparative study of, (1202)
*papatasi*
*P. p. bergeroti* and *P. duboscqi* females and, comparative study of, (1202)
*perniciosus*, in France (Lozère), (669)
*simillimus*, (489)
*vespertilionis*, in Panama, 669
Reduviidae
in Brazil (Pernambuco), 424
Peru (Tumbes), 521
allergic reactions to bites and Chagas's disease, 1013
control in Brazil (Bambui), 599
*Panstrongylus diasi*, in Brazil, (1117)
*Rhodnius prolixus*
esterase distribution in the nervous system and other tissues, (576)
haemolymph protein analysis, 1225
*Triatoma* spp.
*costalimai* n.sp., (1205)
*infestans*
in Lima, 1013
control, dieldrin and BHC, 139
haemolymph protein analysis, 1225
Simuliidae
in Canada (Quebec forests), (889)
Mexico, 109
*Simulium* spp.
in Southern Arabia, 574
control, DDT, trials of, 961
larvae
control in U.S.S.R., 889
*Simulium* spp.—*cont.*
larvae—*cont.*
infestation levels of, method of estimating, 574
morphology and biology in Madagascar, (988)
Summary of recent abstracts, 913–4
*berneri*, on larvae of ephemerids in Cameroons, (1046)
*damnosum*
in Northern Nigeria, 77
bites, vertical distribution on human body, 342
body weight, relation to time of biting, 78
control, DDT in Nigeria, 555
*neavei*, on river crabs in Cameroons, (1046)
Spiders, *see* Venoms and Antivenenes index
*Stomoxys calcitrans*, laboratory rearing in Uganda, 895
Tabanidae
in Angola, 1288
Ethiopia, 990
attractance to heat, (110)
*Tabanus* spp.
*hamoni* n.sp., in French West Africa, (989)
*sugens*, in French West Africa, (989)
Termites in Solomon Islands, 491
Ticks
in Belgian Congo and Ruanda-Urundi, 896
Cape Verde Islands, 1204
French Antilles and Guiana, (896)
Iraq, 1290
Italy, (991)
Kenya (Nairobi area), 1289
Mexico, 672
ecology in U.S.S.R. (Crimea), 779
paralysis due to, acetylcholine release failure in, (669)
parasitic on low primates in Africa, Zanzibar and Madagascar, 1289
*Rickettsia burneti*, relationship with, 431
species composition in U.S.S.R. (Crimea), 779
*Alectorobius asperus*, relapsing fever carrier in U.S.S.R. (Ukraine), 947
*Argas* spp.
*brumpti*, in Kenya and Tanganyika, 491
*persicus*, in Tanganyika, 372
*Dermacentor*
*andersoni*
Colorado tick fever virus development in, 937
paralysis due to in laboratory animals and native rodents, 486
*nuttalli*, ecology in U.S.S.R. (Tuva), 934
*Haemaphysalis* spp.
in Turkey, 1289
*allophysalis*, n.sp., (1204)
*leachii leachii* in Egypt, (110)
*Ixodes*
in Egypt, 246
Italy, 672
Japan, Korea and Ryukyu Islands, 779
evolution of, (991)
*Ornithodorus*
in U.S.S.R. (Transcaucasia), 836
*arenicolous*, in Tunisia, (991)
*erraticus*, behaviour towards environment, 837
*furcosus*, relapsing fever vector (negative results), 52

*See p. 1323 for the special arrangement of the index*

Ticks—*cont.*
*Ornithodorus—cont.*
*lahorensis*, insignificance as relapsing fever reservoir, 836
*moubata*, control in Ruanda-Urundi, 837
*Rhipicephalus simus*, tick typhus vector in Kenya, 816
*Triatoma*, *see* Reduviidae *above*
*Trombicula*, *see* Mites *above*
Tsetse flies
control
elimination in game in Uganda, 700
insecticides
application in aircraft, 811
repeated applications in Tanganyika, 811
puparia, age determination of, (122)
research on, 677
in West Africa, 1011
*Glossina*
*austeni*
in Mozambique, 924, 1112
control, phytocides against secondary plant growth, 1224
*brevipalpis*, in Mozambique, 1112
*fusca*, identification by dissection of genitalia, 1224
Tsetse flies—*cont.*
*Glossina—cont.*
*fuscipes*
in Cameroons, 700
*quanzensis*
laboratory rearing, 19
*Trypanosoma cazalboui-vivax*, natural infection with, (812)
*morsitans*
in Angola, 1114
Mozambique, 1112
control, discriminative spraying in Uganda, 810
establishment in alien habitat, 924
laboratory colonies, 809
trypanosomes found in, in Ruanda, 700
*pallidipes*, in Mozambique, 1112
*palpalis*
in Cameroons, 700
anal feeding as infection method, 1223
control, DDT in Nigeria (Benue prov.), 133
infectibility with *T. vivax*, 925
sterilization by gamma rays, 597
trypanosome infection rate affected by age, 597
*tachinoides*
control, DDT in Nigeria (Benue prov.), 133
infectibility with *T. vivax*, 925
Wasps, *see* VENOMS AND ANTIVENENES index

## HAEMATOLOGY

Haematology, 82–9, 206–16, 352–4, 476–8, 560–62, 648–53, 759–63, 872–7, 969–74, 1052–7, 1180–83, 1272–3
Anaemia
in Mexico, 352
Singapore, 649
diabetes and, in Ghana, 560
experimental, haemoglobin values for rabbits in Ceylon, 1272
in children in India, 352
nicotinic acid deficiency and (case), 1053
pyridoxine deficiency and (case), 1053
treatment
high protein diets and, 208
review of, 874
vitamin B and iron, trials, 1054
Anaemia—*cont.*
Cooley's, *see* thalassaemia, *below*
haemolytic
acholuric jaundice, resemblance to (case), (650)
haemoglobin-binding capacity of plasma in, 1273
in neonatal and early infancy, (970)
hookworm, pathogenesis of, 761
iron deficiency
ankylostomiasis due to, 638 *bis*
in children, Cape Coloured and African, in S. Africa (Cape Town), 649
sweat in, iron content of, 969
treatment, ferrous gluconate, oral trials of, 874

*See p. 1323 for he special arrangement of the index*

Anaemia—*cont.*
megaloblastic
concealed by multiple deficiencies, 1054
in children in Indonesia, 761
microcytic, in Italy, (970)
nutritional
blood volume fall in, 873
bone-marrow iron in, 969
in children in Australia (N. Territory), 760
macrocytic in India, 84
megaloblastic
sickle cell anaemias and, 973
treatment, iron, 478
urinary excretion of radioactive vitamin B12, 970
treatment, intravenous iron in children, 761
sickle cell
in Kenya (case), 1056
Portugal (white family), 561
amino-aciduria in, 876
bone-marrow iron in, 969
crises in, causes of, 1056
diagnosis, after blood transfusion, 87
experimentally produced, 86
" false ", 210
genetic maintenance of, in Belgian Congo, 210
haemoglobin J disease and (case), 1183
haemoglobin-binding capacity of plasma in, 1273
hereditary spherocytosis in (2 cases), 763
hip, disintegration of, in, (1057)
in half-caste family, (212)
Negroes, 726
liver function in, 972
megaloblastic erythropoiesis and acquired haemolysis in, (1056)
nephropathy in, 973
nutritional megaloblastic anaemia and, 973
oxyhaemoglobin disassociation curve, variation in, 87
*Salmonella* osteomyelitis and, in children, in Belgian Congo, 477
sickle cell thalassaemia, differentiation from, 212
treatment
carbonic anhydrase inhibitors, effect of, 1182
Diamox, trials, 214
sickle-cell-haemoglobin C disease,
sickle cell anaemia, differentiation from, 212
pulmonary infarction and splenic atrophy in, (974)
sickle-cell-haemoglobin D disease (case), 651
sickle-cell-thalassaemia disease, *Salmonella* osteomyelitis and, in children, in Belgian Congo, 477
sickle cell trait
in Egypt, 762
French Cameroons, 972
elliptocytosis and, 876
haemoglobin-binding capacity of plasma in, 1273
haemoglobin S in newborn carriers of, (972)
hereditary spherocytosis and, in American Negro family, 1181
thalassaemia
in Argentina (case), 353
Liberia, 971

Anaemia—*cont.*
thalassaemia—*cont.*
in Norway (case), 85
South India, 763
abnormal haemoglobin and (case), (85)
amino-aciduria in, 876
chromium elution acceleration due to foetal haemoglobin, 353
diagnosis in carriers, (85)
erythrocyte destruction in, production rate, 652
haemoglobin
$A_2$ increase in, 86
Barts in child with (case), 1272
E disease and, (876)
in Chinese, (561)
haemolytic
bone marrow failure in, 877
treatment, folic acid, painful erythropoietic crises in, 877
hereditary spherocytosis, sickling and, in American Negro family, 1181
minor, in Dutch family, 877
sickling and, in S. Turkey, 208
treatment, intraperitoneal blood transfusion in child, 561
thalassaemia trait
in Venezuela, 1055
distribution of, (1182)
Lepore trait and, 86, 971
Blood
ascorbic acid values in India, 872
bone marrow iron, incidence and significance in, 477
diseases in infancy, antenatal background, (970)
eosinophil level, effect of corticotrophin on, in Egyptians, 249
erythrocytes
half life after radioactive Cr, 1055
protoporphyrin values in India, 873
groups in Cyprus, 209
haemoglobin
in Africa, 650
American Indians, 651
Australian aborigines, 477
industrial workers in India, 873
newborn infants, in Indonesia, 876
abnormal, (874), (1055)
in Alaska (absence), 762
India (Uttar Pradesh, absence), 875
Jamaica, 213
Malay and Nepalese Gurkha soldiers, 650
Oriental Jews, 352
Puerto Rico, 1055
review of the literature, 85
electrophoresis, 875
starch block, 1182
$Fe^{59}$ incorporation, 875
foetal, (972)
synthesis in thalassaemia *in vitro*, 651
values
in New Guinea, 1181
Pacific natives, 476
variants and inheritance, review of, 650
$A_2$, paper electrophoresis, TRIS buffer for, (1272)
Barts in child with thalassaemia, 1272

*See p. 1323 for the special arrangement of the index*

Blood—*cont.*
haemoglobin—*cont.*
C disease
haemoglobin-binding capacity of plasma in, 1273
homozygous
in South Vietnam (case), 215
Paget's disease of bone, convulsions and, 1183
sickle cell and, pulmonary infarction and splenic atrophy in, (974)
trait, ovalocytosis and, 88
transmission, River Niger as barrier to eastward, 973
D
in India, 88
trait in Filipino family, 88
E
in Cambodia, 215
thalassaemia and, (876)
trait in South Vietnam, 215
H disease
(case), 216
in Cypriot families in Britain (London), 353
J disease
sickle cell anaemia and, (case), 1183
trait, thalassaemia associated with, 89
Lepore trait, thalassaemia and, 86, 971
M, electrophoretic and spectroscopic picture, (216)
N, in Portuguese Guinea, 561
" Sud-Vietnam ", 215
haptoglobin
in Australian aborigines, 477
estimation method, 477
plasma iron and iron-binding capacity values in India, 873
proteins
in Europeans, Africans and Indians in S. Africa (Durban), 1052
Blood—*cont.*
proteins—*cont.*
nutrition and, in Africans in S. Africa (Natal), 759
serum
copper levels in Bantu in S. Africa, 649
protein in Pacific natives, 82
values in East Indians in West Indies, 648
values
in African blood cords, 1180
Assam, 83
India (Uttar Pradesh), 1272
Nigerians, 759
volume, fall of in chronic nutritional anaemia, 873
Elliptocytosis, sickle cell trait and, 876
Eosinophilia
during parasitic diseases, (885)
tropical
aberrant presentations, 1281
aetio-pathology, 982, 1281
electrocardiographic changes in, 663
problems of, 983
pulmonary, 662
(cases), 983
diagnosis, serological aetiological implications and, 1061
treatment
diethylcarbamazine, clinical trials, 485
trials, 1282
Spherocytosis, hereditary
(2 cases), 763
erythrocyte production rate in, (763)
in India, 1181
sicklaemia and,
in Negro family, 1056
thalassaemia and, in American Negro family, 1181

## HELMINTHIASIS

Helminthiasis, 58–81, 170–200, 307–44, 458–72, 544–55, 630–45, 736–54, 846–60, 951–63, 1039–47, 1150–73, 1248–69
animal, intestinal, epidemiology in Brazil, 73
anthelmintics
carica papaya seeds, as vermifuge, 642
dithiazanine
in Mexican farm labourers, 544
trials of, 1039, 1151 *bis*
oxygen in intestine, trials of, 1151
review of, (847)
Helminthiasis—*cont.*
diagnosis, faecal examination, flotation and centrifugation method, 847
epidemiology
in Brazil (north-east), 1150
U.S.A., 458
animals in, in French Sudan, 97
in children in Malaya, 58
history of in Cuba, (170)
immunobiology of, (630)

*See p. 1323 for the special arrangement of the index*

Helminthiasis—*cont.*
intestinal
epidemiology
in Costa Rica (University), 170
Hungary (Szabolcs-Szatmar area), 736
Iraq, 72
Italy (Brescia), 846
(Udine), 846
Taiwan (Americans), 774
larvae in children, effect on growth of, 1064
invasiveness of, 239
soil, vegetables and, in Czechoslovakia, 1248
Summary of recent abstracts, 785–98, 905–17
transmission, sewage water in, in Czechoslovakia, 736
treatment
desoxybenzoin, 336
mass, in Poland, 736
oxygen, 545, 1151
Ankylostomiasis
anaemia in
in Italy, 761
iron
deficiency
in bone marrow, 969
Malaya, 638
reserves, effect on progress of, 761
vitamin B and, in treatment, trials of, 1054
blood loss and reabsorption measurement by $^{51}Cr$ and $^{59}Fe$, 1162, 1163 *bis*
control
in Italy, (641)
in farmers, effect of night-soil sterilization on, 467
diagnosis
complement-fixation test, value of, 1044
test-tube cultivation method, 332
epidemiology
in China, 857
India (Punjab), 1161
Iraq, 72
Italy (Abruzzo region), 465
(Ascoli Piceno), 749
Japan (Shikoku), 185
(S. Kyushu), 1259
Mexico, 331
Taiwan (coal-miners), 1043
gastro-intestinal haemorrhage in, 1162
occupational disease,
in Morocco, 184
sickness benefits for, in Italy, 72
resistance to, in patients with sickle-cell trait, 1163
Summary of recent abstracts, 906–7
treatment
bephenium
drug trials, 750
salts, urinary excretion of, 640
dithiazanine, trials of, 1151
hydrogen peroxide, trials of, 858
tetrachlorethylene in children (up to 5 years), 957
*Ancylostoma duodenale* infection
epidemiology
in French Guinea, 550
Turkey (Black Sea), 749
method of, 73
treatment in French Guinea, 550
Ankylostomiasis—*cont.*
*Necator americanus* infection
in Turkey (Black Sea), 749
method of, 73
treatment, bephenium hydroxynaphthoate, trials of, 639
Ascariasis
amoebiasis and, 618
bile duct involvement, (case), 860
diagnosis, radiography in China, 1164
treatment, acupuncture and traditional drug in China, 1165
bronchopneumonia in, (case), 551
control, night-soil sterilization in,
effect in farmers, 467
electric in Japan, 467
epidemiology
in Switzerland, 859
Taiwan (coal-miners), 1043
experimental
hepatic lesions in rabbits, 551
in shore fishes and shellfishes, 641
pulmonary infection in rabbits, 336
in children
in Japan, 1259
effect on growth of, 1064
lacrimal duct involvement, (1164)
treatment
*Melia azedarah* root in China, 959
oxygen, 186
surgery, 189
liver abscesses in (case), 186
mesenteric
adenitis in, 1260
granuloma in, 1260
peritoneal (3 cases), (1044)
Summary of recent abstracts, 907–8
treatment
papain, trials of, 1165
piperazine citrate, serum sickness-type reaction to, 187
surgery, 187
*Ascaridia galli*, inorganic pyrophosphatase found in, (1045)
*Ascaris* spp.
fluid media, *p*H and antibiotics in, effect of, 1262
ova, differentiating vital and dead, staining method for, 859
*lumbricoides*
α-acetolactic acid and acetylmethylcarbinol, formation by, (186)
larvae, piperazine citrate, effect on, in mice, 1261
ova, hatching media, effect on larvae of, 335
succinate and propionate, method of formation in, (1259)
tissues, toxicity of in animals, 239
toxin, allergic reaction and, 1260
Cestode infections in New Zealand (S. Island), (330)
Clonorchiasis
diagnosis
clinical symptoms and, 70
intradermal and complement-fixation tests
antigens, purified in, 1254
large scale, 853

*See p. 1323 for the special arrangement of the index*

Clonorchiasis—*cont.*
experimental, susceptibility of laboratory hosts, 328
Summary of recent abstracts, 796–7
*Clonorchis sinensis*
infection, treatment, chloroquine (case), (637)
ova, production of in rabbits, 853
Cysticercosis
in Belgian Congo (case), 464
bovine
diagnosis, difficulties of, 854
meat inspection and, 955
identification in, 1256
cases, (183)
cerebral
in Mexico, 855
Scandinavia (case), 464
cyst-wall calcification in, 330
diagnosis and treatment, 956
pyogenic meningitis and, (case), (637)
diffuse (case), (330)
subcutaneous (case), 955
Summary of recent abstracts, 797
*Dibothriocephalus*, in man, 854
*Diphyllobothrium* spp.
chemical composition in plerocercoid and adult stages, (464)
Summary of recent abstracts, 797
*latum*, urinary excretion of vitamin B12 in carriers, 71
*mansoni*, scrotal tumour due to, 747
Distomatiasis, due to *Dicrocoelium dendriticum*, (case), 954
Dracontiasis, Summary of recent abstracts, 915
*Echinococcus* spp.
*granulosus*
cyst-wall, permeability of, 1257
enzymes of, pentose cycle in, 1160
glycolysis in, (1043)
in domestic animals in West Pakistan, 748
scolices, metabolism of and environmental oxygen, (1258)
*multilocularis*, epidemiology in U.S.S.R. (Novosibirsk Region), 956
*Echinostoma* cercariae in Japan, (182)
Enterobiasis
in children
in Italy (Ferrara Region), (962)
(Viterbo), 555
effect on growth of, 1064
Summary of recent abstracts, 916
treatment
piperazine hexahydrate, 1173
piperazine-tetracycline combination, 866
*Enterobius vermicularis*, in caecum, 1173
*Fasciola hepatica* metabolism
carbohydrate, (1160)
products of, antigenic properties, 632
Fascioliasis
animal, in cattle, in Brazil, 329
cutaneous with creeping eruption (case), 329
diagnosis, faecal examination, 1256
epidemiology
in France, 854
Mexico (Atlixco), 548
Summary of recent abstracts, 797
Filariasis
animal, early immunity in cotton-rats, (77)
control in Brazil, 470
Filariasis—*cont.*
elephantiasis in, in penis, treatment by skin graft, 1265
epidemiology
in Brazil, 338
China, 861
Kenya, (Is. Pate), 960
Madagascar, 337
Netherlands New Guinea, 1166
Turkey, 860
experimental transmission
in cotton-rats, 1266
to white rats, 961
filarial nematodes, behaviour in arthropod hosts, review, 469
fluorosis and, in China (Foochow), 1045
larvae, mounting and preserving method, 1168
Summary of recent abstracts, 908–9
transmission, low-density microfilaraemia in, 1264
treatment, diethylcarbamazine, emmenagogic action of, 76
*Dirofilaria* spp.
*conjunctivae*, in France (case), 1171
*immitis*, in Florida (2 cases), 1266
*Litomosoides carinii*
infection, experimental, in rats
effect of quarternary ammonium salts, 553
in white rats, 961, (961)
Summary of recent abstracts, 912
*Loa loa*
in Greeks from Belgian Congo, 1171
transmission between man and monkeys, in British Cameroons, 197
loiasis
encephalitis in, 198
Summary of recent abstracts, 914–5
*Mansonella ozzardi*
infection in Peru (first report), 1045
Summary of recent abstracts, 915
onchocerciasis
adenolymphocoele and elephantiasis in, 1046
clinical picture in Liberia, 471
control, insecticides, 961
epidemiology
in Africa, 1045
Nigeria, 1266
Sudan, 1171
after vector eradication, in Kenya (Kodera), 77
infection intensity and distance from *Simulium damnosum* breeding places, 1266
introduction into British Honduras from Guatemala, danger of, 930
nodule in, 1267
ocular
epidemiology in Belgian Congo (Kasai prov.), 643
lesions
in Mexico, 78
aetiology, 553
prophylaxis in French Equatorial Africa, 1172
treatment, review of, (343)
*Onchocerca volvulus*
microfilariae, movement of in human eye, 865
Summary of recent abstracts, 913
*Wuchereria* spp.
spermatic cord infection (case), (470)

*See p. 1323 for the special arrangement of the index*

Filariasis—*cont.*
*Wuchereria* spp.—*cont.*
*bancrofti*
infection
control, diethylcarbamazine
in East Africa, 642
India (Bombay State), 751
epidemiology
in Brazil, 339, 1167 *bis*, 1168
India (Laccadive islands), 468
(Uttar Pradesh), 468
Niue, 75
Singapore, 337
microfilarial periodicity,
heparin, effect on, 1168
mechanism of, 339
review of, 1263
rate of, blood meal effect on, 861
Summary of recent abstracts, 909–10
treatment, diethylcarbamazine in varying length courses, 1169
larvae, effect of cold on survival rate, 1264
review, 1263
transmission, culicines in, 1166, 1167
treatment, diethylcarbamazine, *in vitro* effect on larvae, 76
*malayi*
infection
clinical features in Malaya, 862
control, experimental in Malaya (E. Pahang), 191
epidemiology in India (Kerala), 1170
periodic and semi-periodic forms in man, 551
Summary of recent abstracts, 910–12
treatment, diethylcarbamazine, single night dose in China, 864
migration and growth rates in cats, 1171
transmission, experimental, from man to animals in Malaya, 191
*Gnathostoma* spp.
animal hosts, 343
infection, Summary of recent abstracts, 915
*spinigerum*
in U.S.A. (Georgia), 643
infection, immunological reactions to, 79
*Gongylonema* infection (case), 199
*Haemonchus contortus*, *in vitro* cultivation, (550)
*Hepaticola hepatica*, swine as potential reservoirs of, (962)
Hydatid disease, *see also Echinococcus above*
abdomen in, multiple cyst (case), 857
animal
age and susceptibility to in mice, 1257
negative infection, results in foxes, 638
cysts in man and dog in U.S.A. (New York), 748
diagnosis
bentonite flocculation test, 856
Casoni test in, 637
haemagglutination test, 957
flocculation tests and, evaluated, 858
methods, comparison of, 856
epidemiology
in New Zealand, 748
Switzerland, 184, 549
eye in, orbital cyst (case), (857)
Hydatid disease—*cont.*
liver involvement in
cyst rupturing into bile ducts, 1258
with pulmonary metastases, (1160)
mortality, decrease in Australia (Victoria), 331
pulmonary
bilateral (case), 1160
multiple cysts in, (331)
spontaneous pneumothorax in, (857)
spleen, cyst (case), 1160, 1258
Summary of recent abstracts, 797–8
ventricular cyst, (465)
*Hymenolepis nana*
infection
epileptoid fits in, 1257
in children, effect on growth in, 1064
treatment
dithiazanine, trials, 855
drugs, trials, 330
life cycle stages, effect of antiserum, *in vitro*, 955
morphology, (855)
strobilate phase, morphology, (1043)
Larva migrans, 1044
in Great Britain (case), 642
visceral and cutaneous, 1262
*Multiceps multiceps* infection, intra-ocular (case), 1160
*Necator*, *see* Ankylostomiasis, *above*
*Oesophagostoma* spp. infection
in man, 335
muscle abscess, due to, (1164)
Onchocerciasis, *see* Filariasis *above*
*Ostertagia*, *in vitro* cultivation, (550)
Paragonimiasis
cerebral eosinophilic leukaemia in (case), (853)
clinical picture, 70
diagnosis
antigen tests
antigens, purified trials of, 852
and for pulmonary tuberculosis, 746
intradermal tests, large scale, 853
epidemiology in Japan (Takaoka-cho), 182
experimental, clinical and biochemical picture in dogs, 1159
in Chinese seaman (case), 746
kidney in (case), 183
subcutaneous tumour (case), 328
Summary of recent abstracts, 796
treatment, chloroquine, 746
*Paragonimus westermani*
distribution in Japan (Tokushima), 745
larvae, in crabs, in Japan, 637
*Philophthalmus* spp., eye infection (case), 329
*Pseudogordius* infection, Summary of recent abstracts, 917
Schistosomiasis
adrenal glands in, 953
animal, including experimental
low-protein diet, effect on infection in mice, 461
portal hypertension and oesophageal varices in mice, 635
treatment
sodium and potassium antimonyl tartrate injections, toxicity tests after sterilization and storage, 850
tartar emetic, effect on cerebral blood flow in rabbits, (1159)

*See p. 1323 for the special arrangement of the index*

Schistosomiasis—*cont.*
animal, including experimental—*cont.*
*japonicum*
immunity through repeated exposure in mice, 327
prepatent period of four geographic strains in mice, 324
serum proteins, quantitative changes in rabbits and humans, 463
treatment
potassium antimonyl tartrate, concentration of and curative effect, 745
Sb-11, trials in monkeys, 636
*mansoni*
Gambian pouched rat (*C. gambianus*) experimental host, 462
hormone imbalanced mice, effect on worm survival rates, 1157
miracidium, unhatched, longevity of in treated mice, 851
single cercariae infection of mice via single snails infected with single miracidia, 461
susceptibility of wild animals from Venezuela, 462
treatment
drugs
indices of action in mice, 323
trials with mice, 744
Fouadin and Miracil D, comparison in mice, 322
*p*-aminophenoxyalkane derivatives, 68
trials of, 181
thioxanthone, effect of, in mice, 636
cancer and, pathology of, 324
control
in Egypt, 460
Sudan (Gezira), 62
irrigation schemes and, 175
mass chemotherapy of school children in South Africa (Transvaal), 1155
current worldwide picture, 737
dermatitis, schistosomal
in Netherlands (The Hague), 182
Summary of recent abstracts, 795–6
diagnosis
complement-fixation test, value of, 738
immunity and allergy in, (953)
intradermal test, 316
review of, 547
needle biopsy of liver and spleen, 739
serological tests (review), (1041)
skin test, trials of in Iraq, 171
species difference in ova staining, 1153
dwarfism, skeletal development in, 181
epidemiology
in Denmark (case), 307
Egypt, 460
India (Bombay), 309
Madagascar, 307
Mozambique, 1152 *bis*
Swaziland, 307
Yemen, 631
in children in Southern Rhodesia, 61
living conditions in Transvaal, 60
sociological factors in, 59
in Middle East, 60
fallopian tube infection, ectopic pregnancy in (case), 742
Schistosomiasis—*cont.*
immunity from, 240
liver in
cirrhosis
blood and bone marrow, picture in, 172
hepatoma and (case), (463)
hypertension, incidence of, 173
spleen, pancreas and, compared with pancreas in Laennec's cirrhosis, 849
ovideposition in the heart, frequency of, 1040
pulmonary
in Puerto Ricans, 953
chronic, clinical picture in Egypt, 741
spleen in (case), 1154
splenectomy, blood and marrow picture before and after, 172
splenomegaly in pathology of, in Egyptian, 1251
Summary of recent abstracts, 785–8
treatment
antimony,
potassium tartrate, dermatitis due to, (case), (954)
toxic reaction to, cured by chelating agent, 742
practical difficulties in Kuwait, 633
tartar emetic toxicity, oxyphenonium bromide and antistin in, 460
TWSb, trials, 319
urinary
clinical picture in, 1153
control in Nigeria (Adamawa Prov.), 847
vesical
epidemiology in Timor, 1152
treatment, Nilodin, trials, 632
*haematobium*
diagnosis, rectal biopsy, 632
epidemiology
in Ghana, 630
Greece, 1248
Senegal, 58
Tanganyika, 952
Upper Volta, 1248
historical survey in Iraq, 546
Summary of recent abstracts, 789–90
treatment
antimony, recurrent uropathy after, 317
lucanthone hydrochloride, trials, 62
TWSb, trials, 1249
*japonicum*
control in Leyte, 737
diagnosis
cercariae membrane reaction, 324
precipitin ring test and, 326
urine precipitin reaction, 1253
epidemiology in China, 1041
liver cirrhosis in, 954
Summary of recent abstracts, 793–5
treatment, tartar emetic, (69)
oral, 1158
*mansoni*
acute leucosis in, (953)
anaemia and, in Uganda (West Nile), 318
clinical picture in Martinique, 742
control in Brazil (North East), 320
diagnosis
circumoval precipitin test, value of, 738
early signs confused with typhoid, 308
haemagglutination tests, 547

*See p. 1323 for the special arrangement of the index*

Schistosomiasis—*cont.*
*mansoni*—*cont.*
diagnosis—*cont.*
intradermal tests and faecal examination compared, 1156, 1250
liver needle biopsy in, 1252
rectal biopsy, 632
splenoportography, findings, 66
epidemiology
in Angola (Upper Zambesi), 1152
Brazil, 64
(Gameleira), 743
(North East), 320
(Paraibo Valley), 1156
Martinique, 308
North Cameroons, 631
Puerto Rico, 176
Uganda (West Nile), 174, 175
hepatosplenic, endocrine disturbances in, 178
liver in,
laparoscopy, 1252
pathological changes, 1252
oesophageal lesions in (case), 849
sera, CHR and cercarial agglutinating factors in, localization of, 848
sigmoid colon infarction in (case), 631
splenomegaly in
in Brazil, 65
Uganda (W. Nile), 317
Summary of recent abstracts, 790–93
treatment
antimonial drugs, review of, 67
dithiazanine, trials of, 1151
review of, 67
TWSb, 743
*Schistosoma* spp.
laboratory culture, 737
observation in perfusion apparatus, 634
ova distribution in human tissue, 740
*haematobium*
in human rectum and sigmoid, 546
in non-humans, 310
ova staining, comparison with *S. mansoni* ova, 1153
vectors in Iraq, 951
*japonicum*
cercariae, migratory route in white mice, 463
sex, influence on by sex of snail host, 954
*mansoni*
alkaline phosphatase in, histochemistry of, (1158)
cercariae
acetabular gland, secretion from, (1041)
behaviour in resistant pigeons, 69
daily periodicity, in Puerto Rico, 176
protease activity in, 953
Fouadin and Miracil D, effect on development, 322
in non-humans, 310
metabolic products, antigenic properties, 632
nutrition and growth *in vitro*, 546
ova
miracidia and, sodium pentachlorophenate and copper sulphate, effect on, 322
Schistosomiasis—*cont.*
*Schistosoma* spp.—*cont.*
*mansoni*—*cont.*
ova—*cont.*
staining, comparison with *S. haematobium* ova, 1153
proteolytic enzyme from, 848
vectors in Brazil (Pernambuco), 177
*Schistosomatium douthitti* cercariae, protease activity in, 953
Sparganosis in Colombia (case), 549
Strongyloidiasis
autochthonous case, (1164)
diagnosis
extraction technique, 333
Rugai's method, 751
test-tube cultivation method, 332
epidemiology
in Greece (Athens), 750
Japan (Amami Oshima Is.), 333
Venezuela, 1164
Summary of recent abstracts, 907
treatment
dithiazanine, 859
papain and hyaluronidase, 959
*Strongyloides* spp.
infection in U.S.A. (case), 465
*ratti*, migratory route in rat lung, (641)
*stercoralis*
infection, treatment, dithiazanine, trials, 1151
larva migrans, due to, (case), 74
possible migratory route in mice, (641)
Taeniasis
Summary of recent abstracts, 797
treatment
Cestodin, in children, 1042
dichlorophen, trials of, 747
glycerin and saline solutions, 183
mepacrine
death due to (case), 1256
trials of, 1161
*solium*, infection, multiple (case), 747
Thelaziasis in man (cases), 197
*Trichinella* spp.
infection, Summary of recent abstracts, 916–7
*spiralis*
faecal transmission of, 1268
larvae
anaerobic glycolysis in, (754)
antigenic structure of, 1268
glycolytic pathway in, (80)
Trichiniasis
animal
in dogs and cats, in U.S.A. (Iowa), 81
in pigs in Chile (Santiago), 344
in wildlife in U.S.A. (Iowa), 866
clinical aspects, 200
control in Norway, 80
diagnosis
flocculation tests, evaluation, 1269
immunological tests used in Polish epidemic (Bydgoszcz), 963
epidemiology
in Rumania, 754
Yugoslavia, 754


*See p. 1323 for the special arrangement of the index*

Trichiniasis—*cont.*
experimental
piperazine, effect on, in mice, 1173
serum glycoprotein studies in, (200)
resistance to, effect of behaviour on development of, (344)
symptomless, in Poland, 1047
Trichocephaliasis, treatment, oxygen and diathermy in children, 1268
*Trichocephalus* ova, spontaneous hatching, 962
*Trichostrongylus* spp.
infection, diagnosis, test-tube cultivation, 332
*orientalis*, duodenitis due to, (186)
Trichuriasis
diagnosis, test-tube cultivation, 332
Trichuriasis—*cont.*
epidemiology in Taiwan (coal miners), 1043
in children, effect on growth of, 1064
Summary of recent abstracts, 916
treatment
dithiazanine, 1151
iodide, trials, 1267
trials, 644, 752
piperazine, neurotoxic effect (case), 199
*Trichuris* spp.
*trichiura* ova, morphological changes after dithiazanine, 645
*vulpis*, infection, treatment, *p*-glycolylamino-phenyl-arsonic bismuth, 199
*Wuchereria*, *see* Filariasis, *above*

## MAMMALIAN AND OTHER HOSTS

Mammalian and other hosts
animals of medical importance in Italy, (572)
schistosomiasis, non-human hosts, 310
*Trypanosoma*
hosts in U.S.A., 702
*rhodesiense* sleeping sickness hosts, 1077–82
Bats, *Myotis californicus californicus*, rabies transmission by, 1023
Birds, microfilariae in, in Mexico, (865)
Camels, *Trypanosoma congolense* infection in, (926)
Foxes, rabies control and, in U.S.A., 717
Gerbils, *Tatera valida*, control in Belgian Congo (Ndjili Plain), (1207)
Hedgehogs, *Erinaceus europaeus*, *R. burneti* in, in endemo-enzootic focus of Q fever, (935), 1227
Mammals
in Mexico, (1206)
wild, susceptibility to *S. mansoni*, in Venezuela, 462
Mice, tuberculosis in, and plague susceptibility inhibition, 156
Monkeys
dengue, experimental infection in, 34
dusky leaf monkey as *W. malayi* host, 862
Opossum, *Didelphys marsupialis*, flea parasitism in, in U.S.A. (S.W. Georgia), 1288
Racoons, *T. cruzi* in, 702
Rats
in Japan (Osaka city), 943
control, by synthetic anticoagulants, (438)
distribution in French Equatorial Africa, 43
ectoparasites of, as plague and tularaemia vectors in Poland, 532
range of movement in Malaya, 933
Rats—*cont.*
white, survival of filarial parasites of cotton-rats in, 961, (961)
*Cricetomys gambianus*, experimental host of *S. mansoni*, 462
*Rattus*
*natalensis*, laboratory-adapted African wild rodent, (780)
*norvegicus*, *Rickettsia* reservoir, 1226
Rodents
control, 943
anticoagulants, trials of, 720
plague vectors, WHO report on, 941
Shrew mice, *Sorex araneus*, *R. burneti* isolated from, in focus of Q fever in N.E. Bohemia, 604
Snails
classification, uniformity in, 952
control
in Philippines, 325
copper sulphate, 319
insoluble, 180
sodium pentachlorophenate and, "group effect," 68
molluscicides, Summary of recent abstracts, 788–9
sodium pentachlorophenate, 180
copper sulphate and, "group effect," 68
ecology, 310
in South Africa (Transvaal), 314
chemical composition of water in, 313
population density estimation, 314, 315
schistosomiasis, vectors
in Africa, 737
Brazil, 64
Iraq, 951

*See p. 1323 for the special arrangement of the index*

Snails—*cont.*
schistosomiasis, vectors—*cont.*
in Madagascar, 307
Sudan and Nile basin, 312
Tanganyika, 952
Uganda (West Nile), 175
ecology of, 459
[book review], 783
taxonomy, 321
*Australorbis* spp.
*glabratus*
in French Guinea, (744)
anatomy of, (321)
control
in Puerto Rico, 850
biological, *Marisa cornuarietis*, 460, 850
desiccation, effect on glycogen level, 65
ecology in Puerto Rico, 63
growth in axenic culture, (1041)
ova, quality of, laid in dry season in Guadeloupe, (1041)
schistosomiasis vector
in Brazil, 64
infection rates, in Brazil, 177
*nigricans*, *S. mansoni* infection in, in Brazil (1st report), 1156
*Biomphalaria alexandrina* and *boissyi*, morphology and nomenclature, 60
*Bulinus* spp.
in East Africa, 170
*globosus*, *S. haematobium* susceptibility in Ghana, 1040
*rupelli*, schistosomiasis vector in Uganda, 175
*senegalensis*, control, sodium pentachlorophenate, 319
*stanleyi*, schistosomiasis vector in Uganda, 175
*sudanica*, schistosomiasis vector in Uganda, 175
*truncatus*
ecology, sociological factors in, 60
historical survey in Iraq, 546
population estimation method, 315
reproduction cycle, seasonal and climatic effects on, 312
water salinity and population variations, 311
*rohlfsi*, *S. haematobium* susceptibility in Ghana, 1040
Snails—*cont.*
*Marisa cornuarietis*, control of *Australorbis* by, 460, 850
*Oncomelania* spp.
crossbreeding, 1041
sex influence on schistosome sex, 954
*hupensis*
control
sodium pentachlorophenate, calcium arsenite and, effect of, 326
resistance to, 326
tetra-, tri-chlorophenate and, comparison, 326
*O. nosophora*, hybrid with, 548
*nosophora*
control, molluscicides
resistance to, 852
trials of, with immersion and modified plate tests, 182
*O. hupensis*, hybrid with, 548
shell composition, aid to comparison of geographically distant populations, 851
*Planorbarius metidjensis*, reproduction cycle, seasonal and climatic effects on, 312
Planorbidae
in Brazil (Sao Paulo), (64)
ecology, 311
*Semisulcospira libertina*, *P. westermani* cercariae in, in Japan, 745
*Taphius glabratus* and *tenagophilus* differentiated by renal ridge, 1250
*Tropicorbis* spp.
*centimetralis*
control, sodium pentachlorophenate and copper sulphate, " group effect " on, 68
schistosomiasis
infection rates, in Brazil, 177
*mansoni* infection, duration in, 177
vector in Brazil, 64
*chilensis*, anatomy, (178)
*philippianus*, potential schistosomiasis vector in Ecuador, (634)
Swine, potential reservoirs of *Capillaria hepatica*, (962)
Voles, *Microtus brandti*, atypical *P. pestis* strain found in, 826

*See p. 1323 for the special arrangement of the index*

## TROPICAL OPHTHALMOLOGY


Tropical ophthalmology, 94–5, 224–5, 360–61, 564–5, 658–9, 772–3, 882–3, 981, 1061, 1276–7
Cataract extraction, associated endemic disease in relation to, in Africa, 658
Myiasis, *see* General Index; ENTOMOLOGY index
Retrobulbar neuropathy, nutrition and, 868
Trachoma
  conjunctival bacterial flora in, in relation to inclusion bodies, 882
  control
    in Hungary, 981
    Yugoslavia (Serbia and Voïvodina), 1277
  diagnosis, laboratory, 361
  epidemiology
    in Algeria (W. Tidikelt), (1276)
    Australasia, 360
    Brazil, 94
    Ecuador, (361)
    French W. Africa, Casamance, 772
    Japan, (224)
      (Kyoto City), 882
Trachoma—*cont.*
  experimental
    human infected material cultured in animal tissues, 772
    inclusion producing agent, transmission of by material stored at —60° C., 1276
  in children, morphological and serological observations with related antigens, 772
  prophylaxis, 94
  psittacosis group, local antibodies present in, 772
  sera in, in experimental and spontaneous infection in man and parenterally infected animals, 772
  treatment
    achromycin and achromycin-hydrocortisone oil suspension, 1276
    erythromycin-sulphacetamide ointment (CT-887), 361
  virus
    cultivation, 1061
    isolation, 565
      in embryonate eggs, 95, 772
Xerophthalmia, nutrition and, 868


## TYPHUS GROUP OF FEVERS


Typhus group of fevers, 25–9, 141–7, 287–94, 428–31, 522–5, 601–5, 706–12, 813–9, 932–6, 1015–20, 1118–22, 1226–28
  diagnosis serological
    in U.S.S.R., 1119
    new pattern in rickettsial group (case), 933
  epidemiology, 1015
    in Cameroons, 1016
      Poland (Craców province), 706
      U.S.S.R., 1119
        (Stalingrad), 601
      Yugoslavia (Voïvodina), 1120
    animals in, in French Sudan, 97
    characteristics of primary and recurrent forms, 706
  complement-fixation reaction
    antibody persistence, 707
    in epidemiological studies, (1227)
  present problems, 932
  experimental
    chemovaccinoprophylaxis, 814
    serological reactions of wild rodents and inoculated guineapigs in Kenya, 1018
Typhus group of fevers—*cont.*
  prophylaxis, vaccines
    anaphylaxis from, near fatal (case), 813
    Cox-type carbon tetrachloride in production of, 602
    fatal reaction after, 1120
    living, problems of, 602
  recurrence of, relative increase in U.S.S.R., 1016
Flea-borne (murine, endemic)
  diagnosis, serological, fluorescent antibody methods in, 932
  epidemiology, rat infestation, artificial heating and, in U.S.A., 290
Louse-borne (epidemic)
  control in Mexico (Tzeltal-Tzotzil region), 428
  diagnosis, laboratory, 287
  epidemiology
    in U.S.S.R. (Primor'e region), 1118
    reconstruction of course of epidemic after 10 years, in Poland, 26
    sheep and goats, in Algeria, 601
  history in Poland, (26)


*See p. 1323 for the special arrangement of the index*

Louse-borne (epidemic)—*cont.*
recrudescent form (Brill-Zinsser disease), 1120
deferred relapse (case), 142
possible occurrence in Britain, 25
Mite-borne (tsutsugamushi disease, scrub typhus)
experimental, resistance to intraperitoneal infection after subcutaneous infection in mice, 934
in venereal disease, differential diagnosis, 1227
Q Fever
in Madagascar (first case), (1121)
autochthonous case in France (Lorraine), 145
control, disinfection, 711
convalescents, clinical and serological survey, 28
diagnosis
micro-complement fixation test, 524
microscopic slide-agglutination test, 524
endocarditis with (fatal case), 818
epidemiology
in Canada (Princeville, Quebec), 524
Great Britain, 144
Poland, 1018
(first focus), 27
Tripolitania, 816
U.S.A., (709)
(Idaho), 1121
U.S.S.R. (Armenian S.S.R.), 523
(Belorussia), 709
(Kirghiz S.S.R.), (429)
(Sakhalin), 429
(Tatar A.S.S.R.), 817
(Voronezh Oblast), 430, 817
(Yaroslavl Oblast), 429
Yugoslavia (Bosnia and Hercegovina), 291
(Uljan Island), 145
complement fixation test, low antibody titres in, 604
domestic animals in, in endemic focus in U.S.S.R. (Kirghiz S.S.R.), 818
human, relation with bovine, investigation in U.S.A. (California), (935)
serological survey
in cattle in Canada (British Columbia), 1019
domestic livestock in U.S.A. (Arizona), 146
Poland (Cracow province), 1120
shrew-mice in, *R. burneti* isolated from, in N.E. Bohemia, 604
experimental
in fox and forest mouse, 29
*Hyalomma plumbeum plumbeum*, 28
hepatic necrosis with (fatal case), 936
in cattle in U.S.A. (Iowa), 430
sewing shop due to dusty cotton-wool, (709)
prophylaxis, immunization
combined with enteric vaccination, 1121
specific, 819
two-dose, 1121
pseudo-influenzal form in Dakar (4 cases), 146
recent developments and problems, (1227)
serologically proved case in U.S.A. (Utah), 935
sheep and
in Australia (Queensland), 1019
prophylaxis, 819
Tick-borne
in U.S.S.R. (E. Siberian island), 1017
Tick-borne—*cont.*
diagnosis
differentiation of causative organism of E. African and Indian, 708
serological, 428
transmission of Siberian and Brazilian strains in body lice, 291
vectors, *Rhipicephalus simus*, in Kenya, 816
fièvre boutonneuse in Italy (Rome), 603
Rocky Mountain spotted fever in children in U.S.A. (Memphis, Tennessee), 1120
*Rickettsia* spp.
aetiological review, 1015
allergic component, 603
antigens, complement-fixing preparation of, 602
behaviour of, in experimental animals, 1015
classification, 1015
fluorescence microscopy in study of, (522)
partial purification with cation exchange resin, 603
*Rattus norvegicus* as reservoir of, 1226
tick-borne in U.S.S.R. (E. Siberian island), 1017
Wright's stain for, modification of, 141
*burneti*
antibodies
in Sardinia, 429
sought by conglutination reaction in bovines, 1227
disinfection of water containing, 430
distribution in nature, 709
enzyme systems of, 27
filterable particles of, 710
growth in L strain fibroblast and chick fibroblast, 709
Henzerling strain, virulence, changes in during passage in white mice, 604
immunological analysis, 710
infection
combined with *Brucella suis*
effect of stressor compounds in, 712
influence of immunological factors in, in guineapigs, 293
role of bacterial endotoxin in, 712
effect on lecithin content in fertilized hen egg yolks, (525)
isolated from common shrew-mouse in focus of Q fever in N.E. Bohemia, 604
occurrence in hedgehog in endemo-enzootic focus of Q fever, (935), 1227
phase variation, 292
relationship with some ticks, 431
resistance to action of some chemical substances, 711
serological survey for, in cattle in Canada, (British Columbia), 1019
survival in
infected meat in storage conditions, 147
milk and milk products, 292
water, 430
*canis*, studies on, (1020)
*conori*, differentiation of causatvie organism of E. African and Indian tick typhus, 708
*mooseri*
cultivated in clothes lice, properties of, 27, (143)
morphology, electron microscope study, (708)
toxin, action in white rats, 289
*prowazeki*
drug-resistant strains of, 707

*See p. 1323 for the special arrangement of the index*

*Rickettsia* spp.—*cont.*
*prowazeki*—*cont.*
infection, effect on lecithin content of fertilized hen egg yolks, (525)
morphology, electron microscope study, (708)
strain E, characteristics and pathogenic properties, (602)
strain unmodified by low temperature preservation, 142
*Rickettsia* spp.—*cont.*
*prowazeki*—*cont.*
variability of, and possibility of obtaining live typhus vaccine, 522
*tsutsugamushi*
growth in tissue culture cells
chloramphenicol and several metabolic inhibitors, effect on, 814
extracellular environment, effect on, 814
location in vascular lesions, 1017
penetration into mammalian cells *in vitro*, 708

## VENOMS AND ANTIVENENES

Venoms and Antivenenes, 89–92, 217–8, 354–5, 479, 562, 653–5, 771–2, 878–9, 974–6, 1057–9, 1183–5, 1273
activation of venom proteases and reversal of chelating effects by sodium bicarbonate, (1057)
Animals, venomous, in Asia (Far East), 878
Bees, stings, desensitization by whole-bee extract, intracutaneous injections, 771
Fire ant venom, haemolytic component isolated, 1273
Marine animals, [book review], 679
Millipedes, tropical, exudate
composition, 218
eye lesion caused by (case), 218
Scorpions
poisoning, treatment, serum preparation and titration, 562
venom, 5-hydroxytryptamine in, (975)
*Buthus*
*judaicus*, venom, 1058
*occitanus mardochei* var. *israelis*, var. nov., (1058)
Snails, marine, *Conus* spp.
poisoning due to, in man (cases), 91
venom, apparatus, 92
Snakes
in Algeria, (1183)
Brazil [book review], 995
Morocco, (1183)
North Africa, (1183)
Tunisia, (1183) *bis*
poisoning, effect of repeated bites in man, 879
venoms, diffusion factor of, 653
*Atractaspis*, poisoning, 654
*Bitis atropis* bite, ophthalmoplegia due to, (974)
*Cerastes cerastes* venom, antigen studied by gel precipitation, (1184)
Snakes—*cont.*
*Crotalus* spp.
poisoning, later effects (case), 974
*adamanteus*
poisoning, experimental in dogs, effect of hydrocortisone, 90
venom toxicity, 90
Hydrophiidae (sea-snakes)
in New Caledonia, 1183
Vietnam, 217 *bis*
venom, 217
*Naja* spp.
Formosan, venom
column chromatography of, 479
mechanism of action on nucleic acids, (218)
venom fractionation, (1184)
*flava* venom, enzymes in
activities compared with two *Crotalus* venoms, 89
mechanism of action of and, relationship between, 89
*Notechis scutatus scutatus* venom, neurotoxins, separation and properties of, 354
*Psammophis*, in Egypt, (562)
*Vipera*
venoms, enzymatic action of, 975
*ammodytes*, poisoning, effect of hypothermia in rats, 1184
*lebetina*
venom antigen, studied by gel precipitation in, (1184)
*palestinae*, poisoning, treatment, antivenin prepared from fresh venom, 654
*xanthina*
antineurotoxin containing horse serum preparation of, 1273

*See p. 1323 for the special arrangement of the index*

Snakes—*cont.*
*Vipera—cont.*
*xanthina—cont.*
*palestinae*
poisoning, treatment, Pasteur antiserum in, statistical survey, 974
venom
antivenin preparation in rabbits, 771
immunological study, 771
Spiders
*Latrodectus* spp.
poisoning, arachnidism due to, 976
*mactans*, poisoning, arterial hypertension in, mechanism of, (479)
Spiders—*cont.*
*Latrodectus* spp.—*cont.*
*tredecimguttatus*
poisoning
in Italy (Cervetiri area), 975
arterial circulation in, (562)
bronchial muscles in, (562)
cardiac rhythm in, (562)
venom, chemical composition, 479
*Loxosceles laeta*, poisoning, arachnidism due to (cases), 1058, 1518
Stonefish, *Synanceja* spp.
poisoning, treatment and, 1185
*trachynis* venom, 1058
*verrucosa* venom, 879

*See p. 1323 for the special arrangement of the index*

## BOOK REVIEWS, REPORTS AND SURVEYS

General
Assistance technique en médecine africaine. Vol. I. Bactériologie, virologie, mycologie, protozoologie, hématologie. [Devignat, R.], 582
Science in the development of Africa. A review of the contribution of physical and biological knowledge South of the Sahara. [Worthington, E. B.], 996
World directory of medical schools. [World Health Organization], 383
Bacterial diseases
Diamond Jubilee, 1899–1958. Souvenir. [Haffkine Institute], 1209
Leprosy in theory and practice. [Cochrane, R. G.], 496
Plague fighter. The autobiography of a modern Chinese physician. [Wu, L. T.], 583
Dermatology and Fungus Diseases
Coccidioidomycosis. [Fiese, M. J.], 1209
Skin disease in the African. [Clarke, G. H. V.], 903
Entomology
DDT. The insecticide dichlorodiphenyltrichloroethane and its significance. Vol. II. Human and veterinary medicine. [Simmons, S. W.], 903
Helminthiasis
Ecological processes. [Mozley, A.], 783
Parasitic diseases
Elemente de epidemiologie a bolilor parazitare. [Gherman, I.], 1211
Elemente de parazitologie. [Nitsulescu, V.], 111
Parasitic animals. [Lapage, G.], 497
Parasitologia médica. [Pessoa, S. B.], 380
Parasitologie médicale. [Callot, J. & Helluy, J.], 1211
Travaux pratiques de parasitologie. [Brumpt, E. & Neveu-Lemaire, M.], 1210
Protozoal diseases
A field key to the savanna genera and species of trees, shrubs and climbing plants of Tanganyika Territory. Pt. I. Genera and some species. [East African Trypanosomiasis Research Organization], (112)
Malariology with special reference to Malaya. [Sandosham, A. A.], 1298
Tropical medicine
Common endemic diseases in Egypt. [Shafei, A. Z.], 1299
Diseases of children in the subtropics and tropics. [Trowell, H. C.], 901
Historique du Laboratoire Médical et de l'Institut de Médecine Tropicale Princesse Astrid à Léopoldville. [Inst. Méd. Trop. Princesse Astrid], 998
Hygiène tropicale. [Van Riel, J.], 379
Pathologie tropicale. Vol. 1. Infections générales. Affections dermatologiques. Vol. II. Maladies intestinales microbiennes et parasitaires, avitaminoses, troubles de la nutrition, accidents causés par des animaux et des plantes, accidents dus au climat tropical. Vol. III. Maladies cosmopolites du Congo. [Dubois, A.], 999
Practical first aid. [British Red Cross Society], 996
Public health in tropical countries. [Ajose, O. A.], 378
The Sudan Medical Service. An experiment in social medicine. [Squires, H. C.], 380
Tropenhygiene. Lebenshaltung und Lebensführung in warmen Landen. [Rodenwaldt, E.], 902
Venoms and antivenenes
Dangerous marine animals. [Halstead, B. W.], 679
O ofidismo no Brasil. [Silva, M., Jr.], 995

*See p. 1323 for the special arrangement of the index*

# GEOGRAPHICAL INDEX

## EUROPE


Europe
housefly resistance to insecticide, 1069
mosquitoes, 985
Cyprus
blood-groups, 209
Czechoslovakia
helminthiasis, 736, 1248
parasitic diseases, (366), 570
toxoplasmosis, 879, 1186
Denmark
schistosomiasis (case), 307
France
fascioliasis, 854
mosquito larvae, 667
Germany
rabies in wild animals, 823
Greece
malaria eradication, 1217
*Phlebotomus*, 575
strongyloidosis, 750
Hungary
helminthiasis, 736
trachoma control, 981
Iceland
leprosy, 1138
Italy
ankylostomiasis, 72, 465, 749
enterobiasis in children, 555, (962)
fièvre boutonneuse, 603
insects, plants and animals of medical importance, (572)
intestinal parasitism, 102, 365, 569, 846 *bis*, 1197
*Ixodes*, 672
malaria, 408, 409
microcytaemia, (970)
myiasis, 224, 778
ticks, (991)
Netherlands
schistosomal dermatitis, 182
toxoplasmosis, 976
Norway
trichiniasis, 80
Poland
helminthiasis, 736
intestinal parasites, 1064
malaria, 508
medical and veterinary parasitology, (1196)
mosquitoes, 1200
plague vectors, 532
Q fever, 27, 1018, 1120
toxoplasmosis, 1186
typhus, (26), 706
Rumania
*Anopheles*, resistance to insecticides, 922
leishmaniasis, canine, 425
Rumania—*cont.*
leprosy, (838)
malaria, epidemiology, 1007
trichiniasis, 754
San Marino
intestinal parasites in children, 664
Switzerland
ascariasis, 859
hydatid disease, 184, 549
Turkey
ankylostomiasis, 749
anopheline resistance to insecticides, 804
filariasis, 860
leprosy control, 620
malaria eradication, 1218
sicke-cell thalassaemia, 208
United Kingdom
amoebiasis, 534
Brill-Zinsser disease, possible occurrence, 25
Q fever epidemiology, 144
toxoplasmosis in sheep, 977
U.S.S.R.
*Echinococcus multilocularis*, 956
leishmaniasis, 287
leprosy control, 541
plague, 609, 718, 941
Q fever, 429, 430, 523, (709), 817
relapsing fever, 947
rickettsias, tick-borne, 1017
ticks, 779, 836
toxoplasmosis, 769
typhus, 601, 1016, 1118, 1119
Yugoslavia
Q fever epidemiology, 145, 291
trachoma control, 1277
trichiniasis, epidemiology, 754
typhus, 1120


## ASIA


Asia
animals, venomous, 878
Middle East
health, 1070
Aden
leprosy, 727
Arabia
*Simulium* spp., 574
Burma
amoebiasis, 1135
kwashiorkor, 560
leprosy, 838
malaria vectors, 591


*See p. 1323 for the special arrangement of the index*

Ceylon
malaria, 1218
vectors, 591
China
ankylostomiasis, 857
filariasis, 861
leishmaniasis, 426
malaria, 589
mosquitoes, 245, 799, 800, 1200
parasitic disease prevention, 665
plague, pneumonic, 583
*Schistosoma japonicum* infection, 1041
India
abnormal haemoglobins, 875
anaemias, 84, 352
ankylostomiasis, 1161
blood values, 83, 872, 873 *bis*
cholera epidemiology, 44, 298, 1129
filariasis, 468 *bis*, 751, 1170
intestinal parasites, 1197
kwashiorkor in children, 1177
leprosy, 537, 628
malaria, control, 414, 594, 693
in infants, 694
nutrition, 1175
parasitology, bibliography of, (1063)
plague, 296
schistosomiasis, 309
scurvy, infantile, 202
thalassaemia, 763
toxoplasmosis and diet, 563
Indonesia
haemoglobin in newborn infants, 876
megaloblastic anaemia in children, 761
paracholera, 722
Iraq
ankylostomiasis, 72
*Schistosoma haematobium* infection, 546, 953
ticks, 1290
Israel
caterpillar dermatitis, 881
pneumocystosis in infants, 1198
rabies, 1024, 1124
Japan
ankylostomiasis, 1259
ascariasis in infants, 1259
Calliphoridae, (1287)
*Echinostoma* cercariae, (182)
leprosy, 727, 1138
paragonimiasis, 182, 185, 745
strongyloidiasis, 333
ticks, 779
trachoma, 882
Korea
rabies control, 938
ticks, 779
Malaya
abnormal haemoglobins in soldiers, 650
*Aedes* sp., 776, (1285)
anaemia, 649
filariasis, 337
helminthic infection in children, 58
malaria, 1109, 1298
Nepal
abnormal haemoglobins in Gurkha soldiers, 650
Pakistan
*Echinococcus granulosus*, 748
Pakistan—*cont.*
malaria, 685
mosquitoes, 887
Portuguese Timor
intestinal parasites, 1198
leprosy, 1240
malaria, 1103
nutrition, 1176
schistosomiasis, 1152
Ryukyu Is.
ticks, 779
Saudi Arabia
malaria, 1213
South Vietnam
abnormal haemoglobins, 215
cancer, 773
Taiwan
helminthic infections, 1043
malaria, 415
parasitism in U.S. citizens, 774
Thailand
leprosy control, 628
Yemen
schistosomiasis, 631

## AFRICA

Africa
cataract extractions, 658
haemoglobin distribution, 650
malaria, (1213)
mycetoma, (359)
protein deficiencies, 346
scientific research, 996
trypanosomiasis, 518
Africa, East
*Bulinus*, 170
cholera, 722
climatic zones, (249)
malaria, 588
trypanosomiasis research, 494
Africa, North
mosquitoes, 985
snakes, (1183)
Africa, West
heart disease, unusual form, 1277
trypanosomiasis research, 1011
*Uranotaenia*, 887
Algeria
*Aedes aegypti*, 668
leishmaniasis, 600
snakes, (1183)
trachoma, (1276)
Angola
*Glossina morsitans*, 1114
leprosy control, 1246
*Schistosoma mansoni* infection, 1152
Tabanidae, 1288
Belgian Congo
leprosy, 540
malaria in children, 572
mycetoma foot, 979
ocular onchocerciasis, 643
sickle-cell anaemia, 210
ticks, 896
toxoplasmosis, animal, 977

*See p. 1323 for the special arrangement of the index*

Cameroons
acarines, (1205)
*Loa loa*, transmission, 197
malaria, 509, 1008
rickettsial infections, 1016
*Schistosoma mansoni*, 631
sickle-cell trait, 972
*Simulium* spp., (1046)
tsetse flies, distribution, 700
Cape Verde Is.
ticks, 1204
Côte d'Ivoire
*Anopheles gambiae*, resistance, 1220
Egypt
endemic diseases [book review], 1299
intestinal parasites, 231, 232, 570
*Ixodes*, 246
malaria, avian, 421
sickle-cell trait, 762
schistosomiasis control, 460
snails, 312, 319
Eritrea
relapsing fever epidemic, 1239
Ethiopia
leprosy, 948, 1033
relapsing fever, 302
French Equatorial Africa
chromoblastomycosis (first case), 979
leprosy control, 454
mosquito control, 1108
onchocerciasis prophylaxis, 1172
*Phlebotomus* spp., (109)
rabies, 150
rats, distribution, 43
toxoplasmosis, 219
French Guinea
ankylostomiasis, 550
*Anopheles*, distribution, 1104
filariasis vectors, 1263
French Sudan
zoonoses, 97
French Togoland
*Phlebotomus* spp., (108)
French West Africa
Ceratopogonidae, (1068)
*Culicoides* spp., (1202)
liver cirrhosis, 228
malaria, epidemiology, 509
malnutrition in children, 963
mycetoma, (359)
trachoma, 772
Ghana
diabetes and anaemia, 560
*Schistosoma haematobium* infection, 630
siderosis, 1050
Kenya
filariasis, 960
kala azar, 928
malaria, 917
mosquitoes, 487, 986
onchocerciasis, 77
rickettsial diseases, 1018
ticks, 1289
tsetse fly control, 423
typhus vectors, 816
Liberia
onchocerciasis, 471
Liberia—*cont.*
*Plasmodium vivax* susceptibility, 686
thalassaemia, 971
yaws campaign, 1032
Libya
nutrition, 200, 647, 755
Q fever, 816
Madagascar
chromoblastomycosis, (1191)
filariasis, 337
plague, 435
Q fever (first case), (1121)
schistosomiasis, 307
Morocco
amoebiasis, 439
ankylostomiasis, 184
mosquitoes and malaria, 409
snakes, (1183)
Mozambique
*Glossina*, 924, 1112
intestinal parasites, 1065
malaria control, 1110
schistosomiasis, 1152 *bis*
trypanosomiasis, 1112
Nigeria
anaemia and malaria in infants, 511
child health, 579
haemoglobin C, 973
infant mortality, 580
leprosy treatment, 1144
normal blood values, 759
nutrition and fertility, 755
schistosomiasis control, 847
tsetse fly control, 133
yellow fever and other viruses, 819
Rhodesia and Nyasaland
leprosy, 445
native herbal remedies, 1208
relapsing fever in Europeans, 303
schistosomiasis, 61
Ruanda-Urundi
tick control, 837
Senegal
schistosomiasis, 58
Somalia
relapsing fever, 837
South Africa
amoebiasis, 45
blood proteins, 759, 1052
blood serum copper levels, 649
heart disease, 1279
iron deficiency anaemia, 649
liver diseases, 1051
myocardial infarction, 983
plague control, 719
schistosomiasis, 60, 1155
Sudan
medical service, 380
nutrition, 646
onchocerciasis, 1171
schistosomiasis, 62
Swaziland
schistosomiasis, 307
Tanganyika
*Anopheles* control, 515
fleas, 43
malaria, 692, 917
native medicine, 900
tsetse fly control, 811

*See p. 1323 for the special arrangement of the index*

Tunisia
anophelines, 799
snakes, (1183)
Uganda
leprosy control, 733
malaria, 1174
malnutrition, 559, 1174
native medicine, 1207
schistosomiasis, 174, 175, 317, 318
tsetse fly control, 700
Upper Volta
schistosomiasis, 1248

## AMERICA, NORTH

America, North
coccidioidomycosis, 656
mosquito control, 527
*Pulex*, 438
Q fever, 146
yellow fever, 294, 432
Canada
Q fever, 524, 1019
rabies, 1229
Simuliidae, (889)
Mexico
ankylostomiasis, 331
anophelines, 802
cerebral cysticercosis, 855
Chagas's disease, 1013
*Culicoides*, 669
fascioliasis, 548
malaria control, 416
mammals, (1206)
Simuliidae, 109
ticks, 672
typhus control, 428
United States of America
*Aedes aegypti*, 431
*Dirofilaria immitis*, 1266
*Gnathostoma spinigerum*, 643
haemoglobins, 651, 762
helminthiasis, 458
intestinal parasites, 664
*Pneumocystis* pneumonitis, 885
mosquitoes, 105, 432
Q fever, 430, (709), 1121
Rocky Mountain spotted fever, 1120
toxoplasmosis, 563
trichiniasis, 81
*Trypanosoma cruzi* hosts, 702
yellow fever control, 606

## AMERICA, CENTRAL

America, Central
yellow fever, (31)
British Honduras
leishmaniasis, 930
*Phlebotomus* spp., 1286
Costa Rica
*Dientamoeba fragilis*, 835
helminths, 170
intestinal parasites, 830
toxoplasmosis, 355
Guatemala
rabies control, 938
toxoplasmosis, 355
Honduras
intestinal parasites, 1066
Panama
*Culicoides* spp., (1202)
dengue, 33

## WEST INDIES

West Indies
blood serum protein values, 648
liver diseases, 1280
Cuba
amoebiasis, 439
helminthology, history, (170)
piedra (1st case), 1191
toxoplasmosis, 480 *bis*, 1060
Jamaica
abnormal haemoglobins, 213
nutrition survey, 867
Leeward Islands
malnutrition reduction, 871
Martinique
body weight and stature, (249)
leprosy, 1034
schistosomiasis, 308, 742
ticks, (896)
Puerto Rico
abnormal haemoglobins, 1055
intestinal parasites, 1284
mosquitoes, 242
schistosomiasis, 176
Trinidad and Tobago
malaria, 417
malnutrition, 202
toxoplasmosis, 481
Windward Islands
deficiency diseases, 1269

## AMERICA, SOUTH

America, South
*Culex* spp., (488)
leprosy, 629
nutrition (FAO Conference), 965
Argentina
trypanosomiasis, 283, (424)
Bolivia
sylvatic plague, 1127
Brazil
*Culicoides*, 988
fascioliasis, 329
filariasis, 338, 339, 470, 1167 *bis*
helminthiasis, 1150
leishmaniasis, 286, 1226
leprosy, 1038, 1148
nutrition, 756, 757
*Phlebotomus* spp., 23, 1203
reduviids, 424, 425, 599
schistosomiasis, 743, 1156
epidemiology, 177 *bis*
snails, 64 *bis*, 177 *bis*
snakes, 995

*See p. 1323 for the special arrangement of the index*

Brazil—*cont.*
trachoma, 94
trypanosomiasis, 20, 21, 282, 703
yellow fever, 432, 1228
British Guiana
malaria control, nutrition and, 1047
Chile
trichiniasis, 344
Colombia
leishmaniasis, 705
yellow fever and other viruses, 1020
French Guiana
ticks, (896)
Paraguay
leprosy, 445
Peru
leishmaniasis, 29
plague, 436
rabies, 939
reduviids, 521, 1013
yaws, 619
Surinam
yellow fever, 147, 525
Venezuela
leishmaniasis, new form, 931
*Strongyloides* infection, 1164
thalassaemia trait, 1055
trypanosomiasis, 1012

## AUSTRALASIA

Australia
hydatid disease, 331
internal parasites of mammals, 984
malaria in aborigines, 918
nutritional anaemia in children, 760
Q fever, 1019
serum protein levels in aborigines, 81
trachoma, 360
New Zealand
cestode infections, (330)
entomology (bibliography), (886)
hydatid disease, 748

## PACIFIC ISLANDS

Pacific Islands
blood serum protein values, 82
haemoglobin values, 476
leprosy, 1035
Guam
nutrition, 472
Hawaii
mosquito control, 107
Netherlands New Guinea
*Anopheles*, 411, 1221
filariasis, 1166, 1167
food taboos, 81
malaria, 1009, 1214
New Caledonia
filariasis, 75
sea snakes, 1183
Papua
haemoglobin levels, 1181
leprosy, 1240
nutrition, 200, 964
Philippines
malaria, 512
*Schistosoma japonicum*, control, 737
snails, 325
Samoa
leprosy, 1035
Society Islands
dengue, 34
Solomon Islands
termites, 491

*See p. 1323 for the special arrangement of the index*